

LIPOSUCTION

Cannulas & Accessories



AL ZAHRAWI
SURGICAL



AL ZAHRAWI SURGICAL is committed to abiding by the highest quality standards and to exclusively marketing excellent products in order to guarantee each and every patient the opportunity to regain the best possible quality of life. With a surface area of over 20,000m², specially reserved for medical implant production throughout its sites in the United States, Europe and North Africa, AL ZAHRAWI SURGICAL can truly pride itself in its one heritage in the field of top-quality sub-contracting. As the last addition to its 200 year-old international parent group, AL ZAHRAWI SURGICAL offers established expertise in the manufacture of prostheses, implants and surgical instruments for orthopaedics, traumatology, extremities, spinal and dental surgery.

AL ZAHRAWI SURGICAL, we consider that our most precious capital lies in our collaborators (Team members), without distinction of origin of culture and in their commitment to the company. Our purpose is to attract, to develop, to reward and to retain the best of them by offering them a professional environment secure and pleasant and the opportunity to succeed in a spirit of team and equity. The safety of each and every one of them is a mandatory prerequisite towards achieving our aim.

All of the products we manufacture are used to improve the lives of many patients and, as such, the quality of each and every product must be beyond reproach. Our entire staff is perfectly aware of the final use of our products and they all strive to apply the highest possible quality standards and to abide by the regulatory requirements that govern our specific sector.



Table of Contents

- A. Liposuction Cannulas
 - a) Infiltration Cannulas
 - b) General Suction Cannulas
 - c) Harvesting Cannulas
 - e) Injecting Cannulas
 - f) Speciality Cannulas

- B. Accessories

- C. Our Specialized Sets

Cannula Hubs/ Connections




Luer lock



Luer lock
(Stainless Steel)



Ultra Luer lock



Treaded



60cc Tommey hub

Machine Connections



ZA-1000.01

Cannulas and Harvesters as a complete instrument ready to use with an aspiration machine for liposuction and large volume fat harvesting procedures.

Fixed Handle

Luer Lock Hub/Connector:

The universal Luer Lock hub enables cannula to attach directly with any Luer Lock Syringe.

Ultra Luer Lock Hub/Connector:

A modification to general Luer Lock hub which is more powerful, more stable, Leak proof, free from instability and contamination.

Threaded Hub/Connector:

Threaded connector hub style is used mostly for machine assisted Liposuction cannulas, AL ZAHRAWI SURGICAL unique Light weight threaded cannula can also be used with ordinary syringe. All you need is AL ZAHRAWI SURGICAL connector from threaded to Luer style.

60cc Tommey Hub/Connector:

An ideal hub style for surgeons why love to handle large fat volumes. This hub style connect cannula to a 60cc Tommey to syringe.

Fixed Handle Cannulas:

AL ZAHRAWI SURGICAL super power grip handle fixed with the cannula of your own choice! The unique design of handle offer powerful grip harvesting large volumes. You will feel amazingly comfortable ever after a long operational time. The thumb grip provide a unique opportunity to control the thrust.

INFILTRATION CANNULAS

AL ZAHRAWI SURGICAL Infiltration Cannulas are designed for safe and efficient delivery of tumescent solution. The spiral micro holes on cannula ensure an even distribution of local anesthetic which results in a longer anesthetic effect, this is less painful and more pleasant liposuction experience for patient.



Tumescent Infiltrator

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommey hub

ZA-101.01	Ø 2.5 mm X 15 cm
ZA-101.02	Ø 2.5 mm X 20 cm
ZA-101.03	Ø 3.0 mm X 20 cm
ZA-101.04	Ø 3.0 mm X 25 cm

Treaded Hub

ZA-102.01	Ø 2.0 mm X 15 cm
ZA-102.02	Ø 3.0 mm X 15 cm
ZA-102.03	Ø 3.0 mm X 20 cm
ZA-102.04	Ø 3.0 mm X 30 cm
ZA-102.05	Ø 4.0 mm X 20 cm
ZA-102.06	Ø 4.0 mm X 30 cm

Ultra Luer lock

ZA-103.01	Ø 1.0 mm X 5 cm
ZA-103.02	Ø 1.0 mm X 7 cm
ZA-103.03	Ø 1.5 mm X 7 cm
ZA-103.04	Ø 1.5 mm X 9 cm

Luer lock

ZA-104.01	Ø 1.0 mm X 4 cm
ZA-104.02	Ø 1.0 mm X 5 cm
ZA-104.03	Ø 1.5 mm X 7 cm
ZA-104.04	Ø 1.5 mm X 9 cm
ZA-104.05	Ø 1.5 mm X 10 cm
ZA-104.06	Ø 1.5 mm X 12 cm
ZA-104.07	Ø 2.0 mm X 10 cm
ZA-104.08	Ø 2.0 mm X 12 cm
ZA-104.09	Ø 2.0 mm X 15 cm
ZA-104.10	Ø 2.0 mm X 20 cm
ZA-104.11	Ø 2.5 mm X 15 cm
ZA-104.12	Ø 2.5 mm X 20 cm
ZA-104.13	Ø 3.0 mm X 15 cm
ZA-104.14	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

ZA-105.01	Ø 1.0 mm X 4 cm
ZA-105.02	Ø 1.0 mm X 5 cm
ZA-105.03	Ø 1.0 mm X 7 cm
ZA-105.04	Ø 1.5 mm X 7 cm
ZA-105.05	Ø 1.5 mm X 9 cm
ZA-105.06	Ø 1.5 mm X 10 cm
ZA-105.07	Ø 1.5 mm X 12 cm
ZA-105.08	Ø 2.0 mm X 10 cm
ZA-105.09	Ø 2.0 mm X 12 cm
ZA-105.10	Ø 2.0 mm X 15 cm
ZA-105.11	Ø 2.0 mm X 20 cm
ZA-105.12	Ø 2.5 mm X 15 cm
ZA-105.13	Ø 2.5 mm X 20 cm
ZA-105.14	Ø 3.0 mm X 15 cm
ZA-105.15	Ø 3.0 mm X 20 cm

Power Cannula

ZA-106.01	Ø 2.0 mm X 15 cm
ZA-106.02	Ø 2.0 mm X 20 cm
ZA-106.03	Ø 2.0 mm X 25 cm
ZA-106.04	Ø 2.0 mm X 30 cm
ZA-106.05	Ø 2.0 mm X 35 cm
ZA-106.06	Ø 3.0 mm X 15 cm
ZA-106.07	Ø 3.0 mm X 20 cm
ZA-106.08	Ø 3.0 mm X 25 cm
ZA-106.09	Ø 3.0 mm X 30 cm
ZA-106.10	Ø 3.0 mm X 35 cm
ZA-106.11	Ø 4.0 mm X 15 cm
ZA-106.12	Ø 4.0 mm X 20 cm
ZA-106.13	Ø 4.0 mm X 25 cm
ZA-106.14	Ø 4.0 mm X 30 cm
ZA-106.15	Ø 4.0 mm X 35 cm
ZA-106.16	Ø 5.0 mm X 15 cm
ZA-106.17	Ø 5.0 mm X 20 cm
ZA-106.18	Ø 5.0 mm X 25 cm
ZA-106.19	Ø 5.0 mm X 30 cm
ZA-106.20	Ø 5.0 mm X 35 cm
ZA-106.21	Ø 6.0 mm X 15 cm
ZA-106.22	Ø 6.0 mm X 20 cm
ZA-106.23	Ø 6.0 mm X 25 cm
ZA-106.24	Ø 6.0 mm X 30 cm
ZA-106.25	Ø 6.0 mm X 35 cm

INFILTRATION CANNULAS



Tumescent Bayonet Infiltrator

The bayonet shaped handles allow an easier manipulation

60cc Tommey hub

ZA-101.11	Ø 2.0 mm X 15 cm
ZA-101.12	Ø 2.5 mm X 20 cm
ZA-101.13	Ø 3.0 mm X 20 cm
ZA-101.14	Ø 3.0 mm X 25 cm

Treaded Hub

ZA-102.11	Ø 2.0mm X 15 cm
ZA-102.12	Ø 3.0mm X 15 cm
ZA-102.13	Ø 3.0mm X 20 cm
ZA-102.14	Ø 3.0mm X 30 cm
ZA-102.15	Ø 4.0mm X 20 cm
ZA-102.16	Ø 4.0mm X 30 cm

Ultra Luer lock

ZA-103.11	Ø 1.0 mm X 5 cm
ZA-103.12	Ø 1.0 mm X 7 cm
ZA-103.13	Ø 1.5 mm X 7 cm
ZA-103.14	Ø 1.5 mm X 9 cm

Luer lock

ZA-104.11	Ø 1.0 mm X 4 cm
ZA-104.12	Ø 1.0 mm X 5 cm
ZA-104.13	Ø 1.0 mm X 7 cm
ZA-104.14	Ø 1.5 mm X 7 cm
ZA-104.15	Ø 1.5 mm X 9 cm
ZA-104.16	Ø 1.5 mm X 10 cm
ZA-104.17	Ø 1.5 mm X 12 cm
ZA-104.18	Ø 2.0 mm X 10 cm
ZA-104.19	Ø 2.0 mm X 12 cm
ZA-104.20	Ø 2.0 mm X 15 cm
ZA-104.21	Ø 2.0 mm X 20 cm
ZA-104.22	Ø 2.5 mm X 15 cm
ZA-104.23	Ø 2.5 mm X 20 cm
ZA-104.24	Ø 3.0 mm X 15 cm
ZA-104.25	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

ZA-105.21	Ø 1.0 mm X 4 cm
ZA-105.22	Ø 1.0 mm X 5 cm
ZA-105.23	Ø 1.0 mm X 7 cm
ZA-105.24	Ø 1.5 mm X 7 cm
ZA-105.25	Ø 1.5 mm X 9 cm
ZA-105.26	Ø 1.5 mm X 10 cm
ZA-105.27	Ø 1.5 mm X 12 cm
ZA-105.28	Ø 2.0 mm X 10 cm
ZA-105.29	Ø 2.0 mm X 12 cm
ZA-105.30	Ø 2.0 mm X 15 cm
ZA-105.31	Ø 2.0 mm X 20 cm
ZA-105.32	Ø 2.5 mm X 15 cm
ZA-105.33	Ø 2.5 mm X 20 cm
ZA-105.34	Ø 3.0 mm X 15 cm
ZA-105.35	Ø 3.0 mm X 20 cm

Power Cannula

ZA-106.31	Ø 2 mm X 15 cm
ZA-106.32	Ø 2 mm X 20 cm
ZA-106.33	Ø 2 mm X 25 cm
ZA-106.34	Ø 2 mm X 30 cm
ZA-106.35	Ø 2 mm X 35 cm
ZA-106.36	Ø 3 mm X 15 cm
ZA-106.37	Ø 3 mm X 20 cm
ZA-106.38	Ø 3 mm X 25 cm
ZA-106.39	Ø 3 mm X 30 cm
ZA-106.40	Ø 3 mm X 35 cm
ZA-106.41	Ø 4 mm X 15 cm
ZA-106.42	Ø 4 mm X 20 cm
ZA-106.43	Ø 4 mm X 25 cm
ZA-106.44	Ø 4 mm X 30 cm
ZA-106.45	Ø 4 mm X 35 cm
ZA-106.46	Ø 5 mm X 15 cm
ZA-106.47	Ø 5 mm X 20 cm
ZA-106.48	Ø 5 mm X 25 cm
ZA-106.49	Ø 5 mm X 30 cm
ZA-106.50	Ø 5 mm X 35 cm
ZA-106.51	Ø 6 mm X 15 cm
ZA-106.52	Ø 6 mm X 20 cm
ZA-106.53	Ø 6 mm X 25 cm
ZA-106.54	Ø 6 mm X 30 cm
ZA-106.55	Ø 6 mm X 35 cm



Tumescent Infiltrator Angled

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommey hub

ZA-101.21	Ø 2.0 mm X 15 cm
ZA-101.22	Ø 2.5 mm X 20 cm
ZA-101.23	Ø 3.0 mm X 20 cm
ZA-101.24	Ø 3.0 mm X 25 cm

Treaded Hub

ZA-102.21	Ø 2.0mm X 15 cm
ZA-102.22	Ø 3.0mm X 15 cm
ZA-102.23	Ø 3.0mm X 20 cm
ZA-102.24	Ø 3.0mm X 30 cm
ZA-102.25	Ø 4.0mm X 20 cm
ZA-102.26	Ø 4.0mm X 30 cm

Ultra Luer lock

ZA-103.21	Ø 1.0 mm X 5 cm
ZA-103.22	Ø 1.0 mm X 7 cm
ZA-103.23	Ø 1.5 mm X 7 cm
ZA-103.24	Ø 1.5 mm X 9 cm

Luer lock

ZA-104.31	Ø 1.0 mm X 4 cm
ZA-104.32	Ø 1.0 mm X 5 cm
ZA-104.33	Ø 1.0 mm X 7 cm
ZA-104.34	Ø 1.5 mm X 7 cm
ZA-104.35	Ø 1.5 mm X 9 cm
ZA-104.36	Ø 1.5 mm X 10 cm
ZA-104.37	Ø 1.5 mm X 12 cm
ZA-104.38	Ø 2.0 mm X 10 cm
ZA-104.39	Ø 2.0 mm X 12 cm
ZA-104.40	Ø 2.0 mm X 15 cm
ZA-104.41	Ø 2.0 mm X 20 cm
ZA-104.42	Ø 2.5 mm X 15 cm
ZA-104.43	Ø 2.5 mm X 20 cm
ZA-104.44	Ø 3.0 mm X 15 cm
ZA-104.45	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

ZA-105.41	Ø 1.0 mm X 4 cm
ZA-105.42	Ø 1.0 mm X 5 cm
ZA-105.43	Ø 1.0 mm X 7 cm
ZA-105.44	Ø 1.5 mm X 7 cm
ZA-105.45	Ø 1.5 mm X 9 cm
ZA-105.46	Ø 1.5 mm X 10 cm
ZA-105.47	Ø 1.5 mm X 12 cm
ZA-105.48	Ø 2.0 mm X 10 cm
ZA-105.49	Ø 2.0 mm X 12 cm
ZA-105.50	Ø 2.0 mm X 15 cm
ZA-105.51	Ø 2.0 mm X 20 cm
ZA-105.52	Ø 2.5 mm X 15 cm
ZA-105.53	Ø 2.5 mm X 20 cm
ZA-105.54	Ø 3.0 mm X 15 cm
ZA-105.55	Ø 3.0 mm X 20 cm

Power Cannula

ZA-106.61	Ø 2 mm X 15 cm
ZA-106.62	Ø 2 mm X 20 cm
ZA-106.63	Ø 2 mm X 25 cm
ZA-106.64	Ø 2 mm X 30 cm
ZA-106.65	Ø 2 mm X 35 cm
ZA-106.66	Ø 3 mm X 15 cm
ZA-106.67	Ø 3 mm X 20 cm
ZA-106.68	Ø 3 mm X 25 cm
ZA-106.69	Ø 3 mm X 30 cm
ZA-106.70	Ø 3 mm X 35 cm
ZA-106.71	Ø 4 mm X 15 cm
ZA-106.72	Ø 4 mm X 20 cm
ZA-106.73	Ø 4 mm X 25 cm
ZA-106.74	Ø 4 mm X 30 cm
ZA-106.75	Ø 4 mm X 35 cm
ZA-106.76	Ø 5 mm X 15 cm
ZA-106.77	Ø 5 mm X 20 cm
ZA-106.78	Ø 5 mm X 25 cm
ZA-106.79	Ø 5 mm X 30 cm
ZA-106.80	Ø 5 mm X 35 cm
ZA-106.81	Ø 6 mm X 15 cm
ZA-106.82	Ø 6 mm X 20 cm
ZA-106.83	Ø 6 mm X 25 cm
ZA-106.84	Ø 6 mm X 30 cm
ZA-106.85	Ø 6 mm X 35 cm

INFILTRATION CANNULAS



Facelift Infiltration Cannula

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommey hub

ZA-101.31	Ø 2.0 mm X 15 cm
ZA-101.32	Ø 2.5 mm X 20 cm
ZA-101.33	Ø 3.0 mm X 20 cm
ZA-101.34	Ø 3.0 mm X 25 cm

Treaded Hub

ZA-102.31	Ø 2.0mm X 15 cm
ZA-102.32	Ø 3.0mm X 15 cm
ZA-102.33	Ø 3.0mm X 20 cm
ZA-102.34	Ø 3.0mm X 30 cm
ZA-102.35	Ø 4.0mm X 20 cm
ZA-102.36	Ø 4.0mm X 30 cm

Ultra Luer lock

ZA-103.31	Ø 1.0 mm X 5 cm
ZA-103.32	Ø 1.0 mm X 7 cm
ZA-103.33	Ø 1.5 mm X 7 cm
ZA-103.34	Ø 1.5 mm X 9 cm

Luer lock


ZA-104.51	Ø 1.0 mm X 4 cm
ZA-104.52	Ø 1.0 mm X 5 cm
ZA-104.53	Ø 1.0 mm X 7 cm
ZA-104.54	Ø 1.5 mm X 7 cm
ZA-104.55	Ø 1.5 mm X 9 cm
ZA-104.56	Ø 1.5 mm X 10 cm
ZA-104.57	Ø 1.5 mm X 12 cm
ZA-104.58	Ø 2.0 mm X 10 cm
ZA-104.59	Ø 2.0 mm X 12 cm
ZA-104.50	Ø 2.0 mm X 15 cm
ZA-104.51	Ø 2.0 mm X 20 cm
ZA-104.52	Ø 2.5 mm X 15 cm
ZA-104.53	Ø 2.5 mm X 20 cm
ZA-104.54	Ø 3.0 mm X 15 cm
ZA-104.55	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

ZA-105.61	Ø 1.0 mm X 4 cm
ZA-105.62	Ø 1.0 mm X 5 cm
ZA-105.63	Ø 1.0 mm X 7 cm
ZA-105.64	Ø 1.5 mm X 7 cm
ZA-105.65	Ø 1.5 mm X 9 cm
ZA-105.66	Ø 1.5 mm X 10 cm
ZA-105.67	Ø 1.5 mm X 12 cm
ZA-105.68	Ø 2.0 mm X 10 cm
ZA-105.69	Ø 2.0 mm X 12 cm
ZA-105.70	Ø 2.0 mm X 15 cm
ZA-105.71	Ø 2.0 mm X 20 cm
ZA-105.72	Ø 2.5 mm X 15 cm
ZA-105.73	Ø 2.5 mm X 20 cm
ZA-105.74	Ø 3.0 mm X 15 cm
ZA-105.75	Ø 3.0 mm X 20 cm

Power Cannula

ZA-106.91	Ø 2 mm X 15 cm
ZA-106.92	Ø 2 mm X 20 cm
ZA-106.93	Ø 2 mm X 25 cm
ZA-106.94	Ø 2 mm X 30 cm
ZA-106.95	Ø 2 mm X 35 cm
ZA-106.96	Ø 3 mm X 15 cm
ZA-106.97	Ø 3 mm X 20 cm
ZA-106.98	Ø 3 mm X 25 cm
ZA-106.99	Ø 3 mm X 30 cm
ZA-106.100	Ø 3 mm X 35 cm
ZA-106.101	Ø 4 mm X 15 cm
ZA-106.102	Ø 4 mm X 20 cm
ZA-106.103	Ø 4 mm X 25 cm
ZA-106.104	Ø 4 mm X 30 cm
ZA-106.105	Ø 4 mm X 35 cm
ZA-106.106	Ø 5 mm X 15 cm
ZA-106.107	Ø 5 mm X 20 cm
ZA-106.108	Ø 5 mm X 25 cm
ZA-106.109	Ø 5 mm X 30 cm
ZA-106.110	Ø 5 mm X 35 cm
ZA-106.111	Ø 6 mm X 15 cm
ZA-106.112	Ø 6 mm X 20 cm
ZA-106.113	Ø 6 mm X 25 cm
ZA-106.114	Ø 6 mm X 30 cm
ZA-106.115	Ø 6 mm X 35 cm



GENERAL SUCTION CANNULA

AL ZAHRAWI SURGICAL General suction cannula are ideal tool for large volume Harvesting with ease perfection.

These cannulas are designed to facilitate you to get perfectly designed goals in minimum time.

GENERAL SUCTION CANNULAS



Stevens Style Cannula

60cc Tommey hub

ZA-201.01	Ø 2.0 mm X 15 cm
ZA-201.02	Ø 2.5 mm X 20 cm
ZA-201.03	Ø 3.0 mm X 20 cm
ZA-201.04	Ø 3.0 mm X 25 cm

Treated Hub

ZA-202.01	Ø 3.0 mm X 20 cm
ZA-202.02	Ø 3.0 mm X 30 cm
ZA-202.03	Ø 4.0 mm X 30 cm
ZA-202.04	Ø 5.0 mm X 30 cm
ZA-202.05	Ø 6.0 mm X 30 cm

Ultra Luer lock

ZA-203.01	Ø 1.0 mm X 5 cm
ZA-203.02	Ø 1.0 mm X 7 cm
ZA-203.03	Ø 1.5 mm X 7 cm
ZA-203.04	Ø 1.5 mm X 9 cm
ZA-203.05	Ø 1.5 mm X 7 cm

Luer lock

ZA-204.01	Ø 1.0 mm X 4 cm
ZA-204.02	Ø 1.0 mm X 5 cm
ZA-204.03	Ø 1.0 mm X 7 cm
ZA-204.04	Ø 1.5 mm X 7 cm
ZA-204.05	Ø 1.5 mm X 9 cm
ZA-204.06	Ø 1.5 mm X 10 cm
ZA-204.07	Ø 1.5 mm X 12 cm
ZA-204.08	Ø 2.0 mm X 10 cm
ZA-204.09	Ø 2.0 mm X 12 cm
ZA-204.10	Ø 2.0 mm X 15 cm
ZA-204.11	Ø 2.0 mm X 20 cm
ZA-204.12	Ø 2.5 mm X 15 cm
ZA-204.13	Ø 2.5 mm X 20 cm
ZA-204.14	Ø 3.0 mm X 15 cm
ZA-204.15	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

ZA-205.01	Ø 1.0 mm X 4 cm
ZA-205.02	Ø 1.0 mm X 5 cm
ZA-205.03	Ø 1.0 mm X 7 cm
ZA-205.04	Ø 1.5 mm X 7 cm
ZA-205.05	Ø 1.5 mm X 9 cm
ZA-205.06	Ø 1.5 mm X 10 cm
ZA-205.07	Ø 1.5 mm X 12 cm
ZA-205.08	Ø 2.0 mm X 10 cm
ZA-205.09	Ø 2.0 mm X 12 cm
ZA-205.10	Ø 2.0 mm X 15 cm
ZA-205.11	Ø 2.0 mm X 20 cm
ZA-205.12	Ø 2.5 mm X 15 cm
ZA-205.13	Ø 2.5 mm X 20 cm
ZA-205.14	Ø 3.0 mm X 15 cm
ZA-205.15	Ø 3.0 mm X 20 cm

Power Cannula

ZA-206.01	Ø 2 mm X 15 cm
ZA-206.02	Ø 2 mm X 20 cm
ZA-206.03	Ø 2 mm X 25 cm
ZA-206.04	Ø 2 mm X 30 cm
ZA-206.05	Ø 2 mm X 35 cm
ZA-206.06	Ø 3 mm X 15 cm
ZA-206.07	Ø 3 mm X 20 cm
ZA-206.08	Ø 3 mm X 25 cm
ZA-206.09	Ø 3 mm X 30 cm
ZA-206.10	Ø 3 mm X 35 cm
ZA-206.11	Ø 4 mm X 15 cm
ZA-206.12	Ø 4 mm X 20 cm
ZA-206.13	Ø 4 mm X 25 cm
ZA-206.14	Ø 4 mm X 30 cm
ZA-206.15	Ø 4 mm X 35 cm
ZA-206.16	Ø 5 mm X 15 cm
ZA-206.17	Ø 5 mm X 20 cm
ZA-206.18	Ø 5 mm X 25 cm
ZA-206.19	Ø 5 mm X 30 cm
ZA-206.20	Ø 5 mm X 35 cm
ZA-206.21	Ø 6 mm X 15 cm
ZA-206.22	Ø 6 mm X 20 cm
ZA-206.23	Ø 6 mm X 25 cm
ZA-206.24	Ø 6 mm X 30 cm
ZA-206.25	Ø 6 mm X 35 cm



Cobra Bibevel Style

More aggressive than the Standard, Pyramid or Mercedes, this cannula has a tapered tip with two ports and works effectively within dense fibrous tissue.

60cc Tommey hub

ZA-201.11	Ø 2.5 mm X 15 cm5
ZA-201.12	Ø 2.5 mm X 20 cm
ZA-201.13	Ø 3.0 mm X 15 cm
ZA-201.14	Ø 3.0 mm X 20 cm
ZA-201.15	Ø 3.0 mm X 25 cm
ZA-201.16	Ø 4.0 mm X 25 cm
ZA-201.17	Ø 4.0 mm X 30 cm
ZA-201.18	Ø 4.0 mm X 35 cm
ZA-201.19	Ø 4.5 mm X 30 cm
ZA-201.20	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-202.11	Ø 3.0 mm X 15 cm
ZA-202.12	Ø 3.0 mm X 25 cm
ZA-202.13	Ø 4.0 mm X 15 cm
ZA-202.14	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-203.11	Ø 2.0 mm X 15 cm
ZA-203.12	Ø 2.5 mm X 15 cm
ZA-203.13	Ø 2.5 mm X 20 cm
ZA-203.14	Ø 3.0 mm X 15 cm
ZA-203.15	Ø 3.0 mm X 20 cm
ZA-203.16	Ø 3.0 mm X 25 cm

Luer lock

ZA-204.21	Ø 2.0 mm X 15 cm
ZA-204.22	Ø 2.5 mm X 15 cm
ZA-204.23	Ø 2.5 mm X 20 cm
ZA-204.24	Ø 3.0 mm X 15 cm
ZA-204.25	Ø 3.0 mm X 20 cm
ZA-204.26	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-205.21	Ø 2.0 mm X 15 cm
ZA-205.22	Ø 2.5 mm X 15 cm
ZA-205.23	Ø 2.5 mm X 20 cm
ZA-205.24	Ø 3.0 mm X 15 cm
ZA-205.25	Ø 3.0 mm X 20 cm
ZA-205.26	Ø 3.0 mm X 25 cm

Power Cannula

ZA-206.31	Ø 2mm X 15 cm
ZA-206.32	Ø 2mm X 20 cm
ZA-206.33	Ø 2mm X 25 cm
ZA-206.34	Ø 2mm X 30 cm
ZA-206.35	Ø 2mm X 35 cm
ZA-206.36	Ø 3mm X 15 cm
ZA-206.37	Ø 3mm X 20 cm
ZA-206.38	Ø 3mm X 25 cm
ZA-206.39	Ø 3mm X 30 cm
ZA-206.40	Ø 3mm X 35 cm
ZA-206.41	Ø 4mm X 15 cm
ZA-206.42	Ø 4mm X 20 cm
ZA-206.43	Ø 4mm X 25 cm
ZA-206.44	Ø 4mm X 30 cm
ZA-206.45	Ø 4mm X 35 cm
ZA-206.46	Ø 5mm X 15 cm
ZA-206.47	Ø 5mm X 20 cm
ZA-206.48	Ø 5mm X 25 cm
ZA-206.49	Ø 5mm X 30 cm
ZA-206.50	Ø 5mm X 35 cm
ZA-206.51	Ø 6mm X 15 cm
ZA-206.52	Ø 6mm X 20 cm
ZA-206.53	Ø 6mm X 25 cm
ZA-206.54	Ø 6mm X 30 cm
ZA-206.55	Ø 6mm X 35 cm

GENERAL SUCTION CANNULAS



Cobra Style Round Tip

Less aggressive than the Cobra Bibevel this cell friendly cannula has a rounded tip with two ports and works effectively within dense fibrous tissue during liposuction procedures.

60cc Tommey hub

ZA-201.21	Ø 2.5 mm X 15 cm
ZA-201.22	Ø 2.5 mm X 20 cm
ZA-201.23	Ø 3.0 mm X 15 cm
ZA-201.24	Ø 3.0 mm X 20 cm
ZA-201.25	Ø 3.0 mm X 25 cm
ZA-201.26	Ø 4.0 mm X 25 cm
ZA-201.27	Ø 4.0 mm X 30 cm
ZA-201.28	Ø 4.0 mm X 35 cm
ZA-201.29	Ø 4.5 mm X 30 cm
ZA-201.30	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-202.21	Ø 3.0 mm X 15 cm
ZA-202.22	Ø 3.0 mm X 25 cm
ZA-202.23	Ø 4.0 mm X 15 cm
ZA-202.24	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-203.21	Ø 2.0 mm X 15 cm
ZA-203.22	Ø 2.5 mm X 15 cm
ZA-203.23	Ø 2.5 mm X 20 cm
ZA-203.24	Ø 3.0 mm X 15 cm
ZA-203.25	Ø 3.0 mm X 20 cm
ZA-203.26	Ø 3.0 mm X 25 cm

Luer lock

ZA-204.31	Ø 2.0 mm X 15 cm
ZA-204.32	Ø 2.5 mm X 15 cm
ZA-204.33	Ø 2.5 mm X 20 cm
ZA-204.34	Ø 3.0 mm X 15 cm
ZA-204.35	Ø 3.0 mm X 20 cm
ZA-204.36	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-205.31	Ø 2.0 mm X 15 cm
ZA-205.32	Ø 2.5 mm X 15 cm
ZA-205.33	Ø 2.5 mm X 20 cm
ZA-205.34	Ø 3.0 mm X 15 cm
ZA-205.35	Ø 3.0 mm X 20 cm
ZA-205.36	Ø 3.0 mm X 25 cm

Power Cannula

ZA-206.61	Ø 2 mm X 15 cm
ZA-206.62	Ø 2 mm X 20 cm
ZA-206.63	Ø 2 mm X 25 cm
ZA-206.64	Ø 2 mm X 30 cm
ZA-206.65	Ø 2 mm X 35 cm
ZA-206.66	Ø 3 mm X 15 cm
ZA-206.67	Ø 3 mm X 20 cm
ZA-206.68	Ø 3 mm X 25 cm
ZA-206.69	Ø 3 mm X 30 cm
ZA-206.70	Ø 3 mm X 35 cm
ZA-206.71	Ø 4 mm X 15 cm
ZA-206.72	Ø 4 mm X 20 cm
ZA-206.73	Ø 4 mm X 25 cm
ZA-206.74	Ø 4 mm X 30 cm
ZA-206.75	Ø 4 mm X 35 cm
ZA-206.76	Ø 5 mm X 15 cm
ZA-206.77	Ø 5 mm X 20 cm
ZA-206.78	Ø 5 mm X 25 cm
ZA-206.79	Ø 5 mm X 30 cm
ZA-206.80	Ø 5 mm X 35 cm
ZA-206.81	Ø 6 mm X 15 cm
ZA-206.82	Ø 6 mm X 20 cm
ZA-206.83	Ø 6 mm X 25 cm
ZA-206.84	Ø 6 mm X 30 cm
ZA-206.85	Ø 6 mm X 35 cm



Standard, Single Hole

This is the most common cell friendly cannula design for soft tissue removal. The single port is located 180 degrees from the thumb rest on the hub.

60cc Tommey hub

ZA-201.31	Ø 2.5 mm X 15 cm
ZA-201.32	Ø 2.5 mm X 20 cm
ZA-201.33	Ø 3.0 mm X 15 cm
ZA-201.34	Ø 3.0 mm X 20 cm
ZA-201.35	Ø 3.0 mm X 25 cm
ZA-201.36	Ø 4.0 mm X 25 cm
ZA-201.37	Ø 4.0 mm X 30 cm
ZA-201.38	Ø 4.0 mm X 35 cm
ZA-201.39	Ø 4.5 mm X 30 cm
ZA-201.40	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-202.31	Ø 3.0 mm X 15 cm
ZA-202.32	Ø 3.0 mm X 25 cm
ZA-202.33	Ø 4.0 mm X 15 cm
ZA-202.34	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-203.31	Ø 1.5 mm X 12 cm
ZA-203.32	Ø 2.0 mm X 15 cm
ZA-203.33	Ø 2.0 mm X 20 cm
ZA-203.34	Ø 2.5 mm X 15 cm
ZA-203.35	Ø 2.5 mm X 20 cm
ZA-203.36	Ø 3.0 mm X 15 cm
ZA-203.37	Ø 3.0 mm X 20 cm
ZA-203.38	Ø 3.0 mm X 25 cm

Luer lock

ZA-204.41	Ø 1.5 mm X 12 cm
ZA-204.42	Ø 2.0 mm X 15 cm
ZA-204.43	Ø 2.0 mm X 20 cm
ZA-204.44	Ø 2.5 mm X 15 cm
ZA-204.45	Ø 2.5 mm X 20 cm
ZA-204.46	Ø 3.0 mm X 15 cm
ZA-204.47	Ø 3.0 mm X 20 cm
ZA-204.48	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZA-205.41	Ø 1.5 mm X 12 cm
ZA-205.42	Ø 2.0 mm X 15 cm
ZA-205.43	Ø 2.0 mm X 20 cm
ZA-205.44	Ø 2.5 mm X 15 cm
ZA-205.45	Ø 2.5 mm X 20 cm
ZA-205.46	Ø 3.0 mm X 15 cm
ZA-205.47	Ø 3.0 mm X 20 cm
ZA-205.48	Ø 3.0 mm X 25 cm

Power Cannula

ZA-206.91	Ø 2 mm X 15 cm
ZA-206.92	Ø 2 mm X 20 cm
ZA-206.93	Ø 2 mm X 25 cm
ZA-206.94	Ø 2 mm X 30 cm
ZA-206.95	Ø 2 mm X 35 cm
ZA-206.96	Ø 3 mm X 15 cm
ZA-206.97	Ø 3 mm X 20 cm
ZA-206.98	Ø 3 mm X 25 cm
ZA-206.99	Ø 3 mm X 30 cm
ZA-206.100	Ø 3 mm X 35 cm
ZA-206.101	Ø 4 mm X 15 cm
ZA-206.102	Ø 4 mm X 20 cm
ZA-206.103	Ø 4 mm X 25 cm
ZA-206.104	Ø 4 mm X 30 cm
ZA-206.105	Ø 4 mm X 35 cm
ZA-206.106	Ø 5 mm X 15 cm
ZA-206.107	Ø 5 mm X 20 cm
ZA-206.108	Ø 5 mm X 25 cm
ZA-206.109	Ø 5 mm X 30 cm
ZA-206.110	Ø 5 mm X 35 cm
ZA-206.111	Ø 6 mm X 15 cm
ZA-206.112	Ø 6 mm X 20 cm
ZA-206.113	Ø 6 mm X 25 cm
ZA-206.114	Ø 6 mm X 30 cm
ZA-206.115	Ø 6 mm X 35 cm

GENERAL SUCTION CANNULAS



Mercedes

This circumferential three port configuration cell friendly liposuction cannula is effective for multi-plane soft tissue harvesting.

60cc Tommey hub

ZA-201.51	Ø 2.5 mm X 15 cm
ZA-201.52	Ø 2.5 mm X 20 cm
ZA-201.53	Ø 3.0 mm X 15 cm
ZA-201.54	Ø 3.0 mm X 20 cm
ZA-201.55	Ø 3.0 mm X 25 cm
ZA-201.56	Ø 4.0 mm X 25 cm
ZA-201.57	Ø 4.0 mm X 30 cm
ZA-201.58	Ø 4.0 mm X 35 cm
ZA-201.59	Ø 4.5 mm X 30 cm
ZA-201.60	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-202.51	Ø 3.0 mm X 15 cm
ZA-202.52	Ø 3.0 mm X 25 cm
ZA-202.53	Ø 4.0 mm X 15 cm
ZA-202.54	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-203.51	Ø 1.5 mm X 12 cm
ZA-203.52	Ø 2.0 mm X 15 cm
ZA-203.53	Ø 2.5 mm X 15 cm
ZA-203.54	Ø 2.5 mm X 20 cm
ZA-203.55	Ø 3.0 mm X 15 cm
ZA-203.56	Ø 3.0 mm X 20 cm
ZA-203.57	Ø 3.0 mm X 25 cm

Luer lock

ZA-204.61	Ø 1.5 mm X 12 cm
ZA-204.62	Ø 2.0 mm X 15 cm
ZA-204.63	Ø 2.5 mm X 15 cm
ZA-204.64	Ø 2.5 mm X 20 cm
ZA-204.65	Ø 3.0 mm X 15 cm
ZA-204.66	Ø 3.0 mm X 20 cm
ZA-204.67	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-205.61	Ø 1.5 mm X 12 cm
ZA-205.62	Ø 2.0 mm X 15 cm
ZA-205.63	Ø 2.0 mm X 20 cm
ZA-205.64	Ø 2.5 mm X 15 cm
ZA-205.65	Ø 2.5 mm X 20 cm
ZA-205.66	Ø 3.0 mm X 15 cm
ZA-205.67	Ø 3.0 mm X 20 cm
ZA-205.68	Ø 3.0 mm X 25 cm

Power Cannula

ZA-206.151	Ø 2 mm X 15 cm
ZA-206.152	Ø 2 mm X 20 cm
ZA-206.153	Ø 2 mm X 25 cm
ZA-206.154	Ø 2 mm X 30 cm
ZA-206.155	Ø 2 mm X 35 cm
ZA-206.156	Ø 3 mm X 15 cm
ZA-206.157	Ø 3 mm X 20 cm
ZA-206.158	Ø 3 mm X 25 cm
ZA-206.159	Ø 3 mm X 30 cm
ZA-206.160	Ø 3 mm X 35 cm
ZA-206.161	Ø 4 mm X 15 cm
ZA-206.162	Ø 4 mm X 20 cm
ZA-206.163	Ø 4 mm X 25 cm
ZA-206.164	Ø 4 mm X 30 cm
ZA-206.165	Ø 4 mm X 35 cm
ZA-206.166	Ø 5 mm X 15 cm
ZA-206.167	Ø 5 mm X 20 cm
ZA-206.168	Ø 5 mm X 25 cm
ZA-206.169	Ø 5 mm X 30 cm
ZA-206.170	Ø 5 mm X 35 cm
ZA-206.171	Ø 6 mm X 15 cm
ZA-206.172	Ø 6 mm X 20 cm
ZA-206.173	Ø 6 mm X 25 cm
ZA-206.174	Ø 6 mm X 30 cm
ZA-206.175	Ø 6 mm X 35 cm



Luer lock

Luer lock
(Stainless Steel)

Ultra Luer lock

Treaded

60cc Tommey hub

Power Cannula

Pyramid Holes Cannula

This commonly used design has three ports located 180 degrees from the thumb print. It is a slightly more aggressive cannula than the Standard during liposuction procedures.

60cc Tommey hub

ZA-201.41	Ø 2.5 mm X 15 cm
ZA-201.42	Ø 2.5 mm X 20 cm
ZA-201.43	Ø 3.0 mm X 15 cm
ZA-201.44	Ø 3.0 mm X 20 cm
ZA-201.45	Ø 3.0 mm X 25 cm
ZA-201.46	Ø 4.0 mm X 25 cm
ZA-201.47	Ø 4.0 mm X 30 cm
ZA-201.48	Ø 4.0 mm X 35 cm
ZA-201.49	Ø 4.5 mm X 30 cm
ZA-201.50	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-202.41	Ø 3.0 mm X 15 cm
ZA-202.42	Ø 3.0 mm X 25 cm
ZA-202.43	Ø 4.0 mm X 15 cm
ZA-202.44	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-203.41	Ø 1.5 mm X 12 cm
ZA-203.42	Ø 2.0 mm X 15 cm
ZA-203.43	Ø 2.5 mm X 15 cm
ZA-203.44	Ø 2.5 mm X 20 cm
ZA-203.45	Ø 3.0 mm X 15 cm
ZA-203.46	Ø 3.0 mm X 20 cm
ZA-203.47	Ø 3.0 mm X 25 cm

Luer lock

ZA-204.51	Ø 1.5 mm X 12 cm
ZA-204.52	Ø 2.0 mm X 15 cm
ZA-204.53	Ø 2.5 mm X 15 cm
ZA-204.54	Ø 2.5 mm X 20 cm
ZA-204.55	Ø 3.0 mm X 15 cm
ZA-204.56	Ø 3.0 mm X 20 cm
ZA-204.57	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZA-205.51	Ø 1.5 mm X 12 cm
ZA-205.52	Ø 2.0 mm X 15 cm
ZA-205.53	Ø 2.0 mm X 20 cm
ZA-205.54	Ø 2.5 mm X 15 cm
ZA-205.55	Ø 2.5 mm X 20 cm
ZA-205.56	Ø 3.0 mm X 15 cm
ZA-205.57	Ø 3.0 mm X 20 cm
ZA-205.58	Ø 3.0 mm X 25 cm

Power Cannula

ZA-206.121	Ø 2 mm X 15 cm
ZA-206.122	Ø 2 mm X 20 cm
ZA-206.123	Ø 2 mm X 25 cm
ZA-206.124	Ø 2 mm X 30 cm
ZA-206.125	Ø 2 mm X 35 cm
ZA-206.126	Ø 3 mm X 15 cm
ZA-206.127	Ø 3 mm X 20 cm
ZA-206.128	Ø 3 mm X 25 cm
ZA-206.129	Ø 3 mm X 30 cm
ZA-206.130	Ø 3 mm X 35 cm
ZA-206.131	Ø 4 mm X 15 cm
ZA-206.132	Ø 4 mm X 20 cm
ZA-206.133	Ø 4 mm X 25 cm
ZA-206.134	Ø 4 mm X 30 cm
ZA-206.135	Ø 4 mm X 35 cm
ZA-206.136	Ø 5 mm X 15 cm
ZA-206.137	Ø 5 mm X 20 cm
ZA-206.138	Ø 5 mm X 25 cm
ZA-206.139	Ø 5 mm X 30 cm
ZA-206.140	Ø 5 mm X 35 cm
ZA-206.141	Ø 6 mm X 15 cm
ZA-206.142	Ø 6 mm X 20 cm
ZA-206.143	Ø 6 mm X 25 cm
ZA-206.144	Ø 6 mm X 30 cm
ZA-206.145	Ø 6 mm X 35 cm

GENERAL SUCTION CANNULAS



3 Spiral Port Cannula (Carraway Style)

Spiral three port design on this Cell Friendly liposuction cannula is effective for multi-plane adipose tissue harvesting.

60cc Tommey hub

ZA-201.61	Ø 2.5 mm X 15 cm
ZA-201.62	Ø 2.5 mm X 20 cm
ZA-201.63	Ø 3.0 mm X 15 cm
ZA-201.64	Ø 3.0 mm X 20 cm
ZA-201.65	Ø 3.0 mm X 25 cm
ZA-201.66	Ø 4.0 mm X 25 cm
ZA-201.67	Ø 4.0 mm X 30 cm
ZA-201.68	Ø 4.0 mm X 35 cm
ZA-201.69	Ø 4.5 mm X 30 cm
ZA-201.70	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-202.61	Ø 3.0 mm X 15 cm
ZA-202.62	Ø 3.0 mm X 25 cm
ZA-202.63	Ø 4.0 mm X 15 cm
ZA-202.64	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-203.61	Ø 1.5 mm X 12 cm
ZA-203.62	Ø 2.0 mm X 15 cm
ZA-203.63	Ø 2.5 mm X 15 cm
ZA-203.64	Ø 2.5 mm X 20 cm
ZA-203.65	Ø 3.0 mm X 15 cm
ZA-203.66	Ø 3.0 mm X 20 cm
ZA-203.67	Ø 3.0 mm X 25 cm

Luer lock

ZA-204.71	Ø 1.5 mm X 12 cm
ZA-204.72	Ø 2.0 mm X 15 cm
ZA-204.73	Ø 2.5 mm X 15 cm
ZA-204.74	Ø 2.5 mm X 20 cm
ZA-204.75	Ø 3.0 mm X 15 cm
ZA-204.76	Ø 3.0 mm X 20 cm
ZA-204.77	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-205.71	Ø 1.5 mm X 12 cm
ZA-205.72	Ø 2.0 mm X 15 cm
ZA-205.73	Ø 2.0 mm X 20 cm
ZA-205.74	Ø 2.5 mm X 15 cm
ZA-205.75	Ø 2.5 mm X 20 cm
ZA-205.76	Ø 3.0 mm X 15 cm
ZA-205.77	Ø 3.0 mm X 20 cm
ZA-205.78	Ø 3.0 mm X 25 cm

Power Cannula

ZA-206.181	Ø 2 mm X 15 cm
ZA-206.182	Ø 2 mm X 20 cm
ZA-206.183	Ø 2 mm X 25 cm
ZA-206.184	Ø 2 mm X 30 cm
ZA-206.185	Ø 2 mm X 35 cm
ZA-206.186	Ø 3 mm X 15 cm
ZA-206.187	Ø 3 mm X 20 cm
ZA-206.188	Ø 3 mm X 25 cm
ZA-206.189	Ø 3 mm X 30 cm
ZA-206.190	Ø 3 mm X 35 cm
ZA-206.191	Ø 4 mm X 15 cm
ZA-206.192	Ø 4 mm X 20 cm
ZA-206.193	Ø 4 mm X 25 cm
ZA-206.194	Ø 4 mm X 30 cm
ZA-206.195	Ø 4 mm X 35 cm
ZA-206.196	Ø 5 mm X 15 cm
ZA-206.197	Ø 5 mm X 20 cm
ZA-206.198	Ø 5 mm X 25 cm
ZA-206.199	Ø 5 mm X 30 cm
ZA-206.200	Ø 5 mm X 35 cm
ZA-206.201	Ø 6 mm X 15 cm
ZA-206.202	Ø 6 mm X 20 cm
ZA-206.203	Ø 6 mm X 25 cm
ZA-206.204	Ø 6 mm X 30 cm
ZA-206.205	Ø 6 mm X 35 cm



Luer lock

Luer lock
(Stainless Steel)

Ultra Luer lock

Treaded

60cc Tommy hub

Power Cannula



Six Spiral Port (Adjust below 3 Spiral Ports)

Six port spiral configuration on this Cell Friendly liposuction cannula harvests maximum tissue volume in minimal time.

60cc smart hub

ZA-201.91	Ø 2.5 mm X 15 cm
ZA-201.92	Ø 2.5 mm X 20 cm
ZA-201.93	Ø 3.0 mm X 15 cm
ZA-201.94	Ø 3.0 mm X 25 cm
ZA-201.95	Ø 4.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-205.231	Ø 2.5 mm X 15 cm
ZA-205.232	Ø 3.0 mm X 15 cm
ZA-205.233	Ø 3.0 mm X 25 cm
ZA-205.234	Ø 4.0 mm X 15 cm
ZA-205.235	Ø 4.0 mm X 25 cm

Treaded Hub

ZA-202.81	Ø 3.0 mm X 15 cm
ZA-202.82	Ø 3.0 mm X 25 cm
ZA-202.83	Ø 4.0 mm X 15 cm
ZA-202.84	Ø 4.0 mm X 25 cm

Power Cannula

ZA-206.901	2mm OD X 15 cm
ZA-206.902	2mm OD X 20 cm
ZA-206.903	2mm OD X 25 cm
ZA-206.904	2mm OD X 30 cm
ZA-206.905	2mm OD X 35 cm
ZA-206.906	3mm OD X 15 cm
ZA-206.907	3mm OD X 20 cm
ZA-206.908	3mm OD X 25 cm
ZA-206.909	3mm OD X 30 cm
ZA-206.910	3mm OD X 35 cm
ZA-206.911	4mm OD X 15 cm
ZA-206.912	4mm OD X 20 cm
ZA-206.913	4mm OD X 25 cm
ZA-206.914	4mm OD X 30 cm
ZA-206.915	4mm OD X 35 cm
ZA-206.916	5mm OD X 15 cm
ZA-206.917	5mm OD X 20 cm
ZA-206.918	5mm OD X 25 cm
ZA-206.919	5mm OD X 30 cm
ZA-206.920	5mm OD X 35 cm
ZA-206.921	6mm OD X 15 cm
ZA-206.922	6mm OD X 20 cm
ZA-206.923	6mm OD X 25 cm
ZA-206.924	6mm OD X 30 cm
ZA-206.925	6mm OD X 35 cm

Ultra Luer lock

ZA-203.81	Ø 2.5 mm X 15 cm
ZA-203.82	Ø 3.0 mm X 15 cm
ZA-203.83	Ø 3.0 mm X 25 cm
ZA-203.84	Ø 4.0 mm X 15 cm
ZA-203.85	Ø 4.0 mm X 25 cm

Luer lock

ZA-204.91	Ø 2.5 mm X 15 cm
ZA-204.92	Ø 3.0 mm X 15 cm
ZA-204.93	Ø 3.0 mm X 25 cm
ZA-204.94	Ø 4.0 mm X 15 cm
ZA-204.95	Ø 4.0 mm X 25 cm

GENERAL SUCTION CANNULAS



Three Port Cannula

This body sculpting instrument is excellent for harvesting small aliquots of tissue during liposuction procedures.

60cc Tommey hub

ZA-201.71	Ø 2.5 mm X 15 cm
ZA-201.72	Ø 2.5 mm X 20 cm
ZA-201.73	Ø 3.0 mm X 15 cm
ZA-201.74	Ø 3.0 mm X 20 cm
ZA-201.75	Ø 3.0 mm X 25 cm
ZA-201.76	Ø 4.0 mm X 25 cm
ZA-201.77	Ø 4.0 mm X 30 cm
ZA-201.78	Ø 4.0 mm X 35 cm
ZA-201.79	Ø 4.5 mm X 30 cm
ZA-201.80	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-202.71	Ø 3.0 mm X 15 cm
ZA-202.72	Ø 3.0 mm X 25 cm
ZA-202.73	Ø 4.0 mm X 15 cm
ZA-202.74	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-203.71	Ø 1.5 mm X 12 cm
ZA-203.72	Ø 2.0 mm X 15 cm
ZA-203.73	Ø 2.5 mm X 15 cm
ZA-203.74	Ø 2.5 mm X 20 cm
ZA-203.75	Ø 3.0 mm X 15 cm
ZA-203.76	Ø 3.0 mm X 20 cm
ZA-203.77	Ø 3.0 mm X 25 cm

Luer lock

ZA-204.81	Ø 1.5 mm X 12 cm
ZA-204.82	Ø 2.0 mm X 15 cm
ZA-204.83	Ø 2.5 mm X 15 cm
ZA-204.84	Ø 2.5 mm X 20 cm
ZA-204.85	Ø 3.0 mm X 15 cm
ZA-204.86	Ø 3.0 mm X 20 cm
ZA-204.87	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-205.81	Ø 1.5 mm X 12 cm
ZA-205.82	Ø 2.0 mm X 15 cm
ZA-205.83	Ø 2.0 mm X 20 cm
ZA-205.84	Ø 2.5 mm X 15 cm
ZA-205.85	Ø 2.5 mm X 20 cm
ZA-205.86	Ø 3.0 mm X 15 cm
ZA-205.87	Ø 3.0 mm X 20 cm
ZA-205.88	Ø 3.0 mm X 25 cm

Power Cannula

ZA-206.211	Ø 2 mm X 15 cm
ZA-206.212	Ø 2 mm X 20 cm
ZA-206.213	Ø 2 mm X 25 cm
ZA-206.214	Ø 2 mm X 30 cm
ZA-206.215	Ø 2 mm X 35 cm
ZA-206.216	Ø 3 mm X 15 cm
ZA-206.217	Ø 3 mm X 20 cm
ZA-206.218	Ø 3 mm X 25 cm
ZA-206.219	Ø 3 mm X 30 cm
ZA-206.220	Ø 3 mm X 35 cm
ZA-206.221	Ø 4 mm X 15 cm
ZA-206.222	Ø 4 mm X 20 cm
ZA-206.223	Ø 4 mm X 25 cm
ZA-206.224	Ø 4 mm X 30 cm
ZA-206.225	Ø 4 mm X 35 cm
ZA-206.226	Ø 5 mm X 15 cm
ZA-206.227	Ø 5 mm X 20 cm
ZA-206.228	Ø 5 mm X 25 cm
ZA-206.229	Ø 5 mm X 30 cm
ZA-206.230	Ø 5 mm X 35 cm
ZA-206.231	Ø 6 mm X 15 cm
ZA-206.232	Ø 6 mm X 20 cm
ZA-206.233	Ø 6 mm X 25 cm
ZA-206.234	Ø 6 mm X 30 cm
ZA-206.235	Ø 6 mm X 35 cm



Basket Shaped Cannula

The Cell Friendly Basket Cannula is a versatile liposculpting tool. It can operate as an equalizer without vacuum to treat adipose tissue and skin irregularities in revision liposuction and fat transfer procedures. The Basket Cannula is also adept under vacuum as a fat harvesting cannula. For finishing, this cannula can be used as an injector for equalizing and adding adipose tissue to sculpt smoother contours.

60cc Tommey hub

ZA-201.81	Ø 3.0 mm X 15 cm
ZA-201.82	Ø 3.0 mm X 20 cm
ZA-201.83	Ø 3.0 mm X 25 cm
ZA-201.84	Ø 4.0 mm X 25 cm
ZA-201.85	Ø 4.0 mm X 30 cm
ZA-201.86	Ø 4.0 mm X 35 cm

Hole on Tip-Style I

Power Cannula


ZA-206.251	Ø 2 mm X 15 cm	ZA-206.260	Ø 3 mm X 35 cm	ZA-206.268	Ø 5 mm X 25 cm
ZA-206.252	Ø 2 mm X 20 cm	ZA-206.261	Ø 4 mm X 15 cm	ZA-206.269	Ø 5 mm X 30 cm
ZA-206.253	Ø 2 mm X 25 cm	ZA-206.262	Ø 4 mm X 20 cm	ZA-206.270	Ø 5 mm X 35 cm
ZA-206.254	Ø 2 mm X 30 cm	ZA-206.263	Ø 4 mm X 25 cm	ZA-206.271	Ø 6 mm X 15 cm
ZA-206.255	Ø 2 mm X 35 cm	ZA-206.264	Ø 4 mm X 30 cm	ZA-206.272	Ø 6 mm X 20 cm
ZA-206.256	Ø 3 mm X 15 cm	ZA-206.265	Ø 4 mm X 35 cm	ZA-206.273	Ø 6 mm X 25 cm
ZA-206.257	Ø 3 mm X 20 cm	ZA-206.266	Ø 5 mm X 15 cm	ZA-206.274	Ø 6 mm X 30 cm
ZA-206.258	Ø 3 mm X 25 cm	ZA-206.267	Ø 5 mm X 20 cm	ZA-206.275	Ø 6 mm X 35 cm
ZA-206.259	Ø 3 mm X 30 cm				

Hole on tip-Style II

Power Cannula

ZA-206.281	Ø 2 mm X 15 cm	ZA-206.290	Ø 3 mm X 35 cm	ZA-206.298	Ø 5 mm X 25 cm
ZA-206.282	Ø 2 mm X 20 cm	ZA-206.291	Ø 4 mm X 15 cm	ZA-206.299	Ø 5 mm X 30 cm
ZA-206.283	Ø 2 mm X 25 cm	ZA-206.292	Ø 4 mm X 20 cm	ZA-206.300	Ø 5 mm X 35 cm
ZA-206.284	Ø 2 mm X 30 cm	ZA-206.293	Ø 4 mm X 25 cm	ZA-206.301	Ø 6 mm X 15 cm
ZA-206.285	Ø 2 mm X 35 cm	ZA-206.294	Ø 4 mm X 30 cm	ZA-206.302	Ø 6 mm X 20 cm
ZA-206.286	Ø 3 mm X 15 cm	ZA-206.295	Ø 4 mm X 35 cm	ZA-206.303	Ø 6 mm X 25 cm
ZA-206.287	Ø 3 mm X 20 cm	ZA-206.296	Ø 5 mm X 15 cm	ZA-206.304	Ø 6 mm X 30 cm
ZA-206.288	Ø 3 mm X 25 cm	ZA-206.297	Ø 5 mm X 20 cm	ZA-206.305	Ø 6 mm X 35 cm
ZA-206.289	Ø 3 mm X 30 cm				

GENERAL SUCTION CANNULAS



Deep Sharp Cut Dissector

Power Cannula					
ZA-206.311	Ø 2 mm X 15 cm	ZA-206.320	Ø 3 mm X 35 cm	ZA-206.328	Ø 5 mm X 25 cm
ZA-206.312	Ø 2 mm X 20 cm	ZA-206.321	Ø 4 mm X 15 cm	ZA-206.329	Ø 5 mm X 30 cm
ZA-206.313	Ø 2 mm X 25 cm	ZA-206.322	Ø 4 mm X 20 cm	ZA-206.330	Ø 5 mm X 35 cm
ZA-206.314	Ø 2 mm X 30 cm	ZA-206.323	Ø 4 mm X 25 cm	ZA-206.331	Ø 6 mm X 15 cm
ZA-206.315	Ø 2 mm X 35 cm	ZA-206.324	Ø 4 mm X 30 cm	ZA-206.332	Ø 6 mm X 20 cm
ZA-206.316	Ø 3 mm X 15 cm	ZA-206.325	Ø 4 mm X 35 cm	ZA-206.333	Ø 6 mm X 25 cm
ZA-206.317	Ø 3 mm X 20 cm	ZA-206.326	Ø 5 mm X 15 cm	ZA-206.334	Ø 6 mm X 30 cm
ZA-206.318	Ø 3 mm X 25 cm	ZA-206.327	Ø 5 mm X 20 cm	ZA-206.335	Ø 6 mm X 35 cm
ZA-206.319	Ø 3 mm X 30 cm				



Bi-Port Cannula

Luer lock (Stainless Steel)				
	10cm	15cm	20cm	25cm
2.0 Ø	ZA-205.91	ZA-205.101	ZA-205.111	ZA-205.121
2.5 Ø	ZA-205.92	ZA-205.102	ZA-205.112	ZA-205.122
3.0 Ø	ZA-205.93	ZA-205.103	ZA-205.113	ZA-205.123
3.5 Ø	ZA-205.94	ZA-205.104	ZA-205.114	ZA-205.124
4.0 Ø	ZA-205.95	ZA-205.105	ZA-205.115	ZA-205.125

Power Cannula					
ZA-206.351	Ø 2 mm X 15 cm	ZA-206.360	Ø 3 mm X 35 cm	ZA-206.368	Ø 5 mm X 25 cm
ZA-206.352	Ø 2 mm X 20 cm	ZA-206.361	Ø 4 mm X 15 cm	ZA-206.369	Ø 5 mm X 30 cm
ZA-206.353	Ø 2 mm X 25 cm	ZA-206.362	Ø 4 mm X 20 cm	ZA-206.370	Ø 5 mm X 35 cm
ZA-206.354	Ø 2 mm X 30 cm	ZA-206.363	Ø 4 mm X 25 cm	ZA-206.371	Ø 6 mm X 15 cm
ZA-206.355	Ø 2 mm X 35 cm	ZA-206.364	Ø 4 mm X 30 cm	ZA-206.372	Ø 6 mm X 20 cm
ZA-206.356	Ø 3 mm X 15 cm	ZA-206.365	Ø 4 mm X 35 cm	ZA-206.373	Ø 6 mm X 25 cm
ZA-206.357	Ø 3 mm X 20 cm	ZA-206.366	Ø 5 mm X 15 cm	ZA-206.374	Ø 6 mm X 30 cm
ZA-206.358	Ø 3 mm X 25 cm	ZA-206.367	Ø 5 mm X 20 cm	ZA-206.375	Ø 6 mm X 35 cm
ZA-206.359	Ø 3 mm X 30 cm				



Tapered Tip Single Central Hole

Power Cannula

ZA-206.391	Ø 2 mm X 15 cm	ZA-206.400	Ø 3 mm X 35 cm	ZA-206.408	Ø 5 mm X 25 cm
ZA-206.392	Ø 2 mm X 20 cm	ZA-206.401	Ø 4 mm X 15 cm	ZA-206.409	Ø 5 mm X 30 cm
ZA-206.393	Ø 2 mm X 25 cm	ZA-206.402	Ø 4 mm X 20 cm	ZA-206.410	Ø 5 mm X 35 cm
ZA-206.394	Ø 2 mm X 30 cm	ZA-206.403	Ø 4 mm X 25 cm	ZA-206.411	Ø 6 mm X 15 cm
ZA-206.395	Ø 2 mm X 35 cm	ZA-206.404	Ø 4 mm X 30 cm	ZA-206.412	Ø 6 mm X 20 cm
ZA-206.396	Ø 3 mm X 15 cm	ZA-206.405	Ø 4 mm X 35 cm	ZA-206.413	Ø 6 mm X 25 cm
ZA-206.397	Ø 3 mm X 20 cm	ZA-206.406	Ø 5 mm X 15 cm	ZA-206.414	Ø 6 mm X 30 cm
ZA-206.398	Ø 3 mm X 25 cm	ZA-206.407	Ø 5 mm X 20 cm	ZA-206.415	Ø 6 mm X 35 cm
ZA-206.399	Ø 3 mm X 30 cm				



Tapered Tip Two Spiral Holes

Power Cannula

ZA-206.431	Ø 2 mm X 15 cm	ZA-206.440	Ø 3 mm X 35 cm	ZA-206.448	Ø 5 mm X 25 cm
ZA-206.432	Ø 2 mm X 20 cm	ZA-206.441	Ø 4 mm X 15 cm	ZA-206.449	Ø 5 mm X 30 cm
ZA-206.433	Ø 2 mm X 25 cm	ZA-206.442	Ø 4 mm X 20 cm	ZA-206.450	Ø 5 mm X 35 cm
ZA-206.434	Ø 2 mm X 30 cm	ZA-206.443	Ø 4 mm X 25 cm	ZA-206.451	Ø 6 mm X 15 cm
ZA-206.435	Ø 2 mm X 35 cm	ZA-206.444	Ø 4 mm X 30 cm	ZA-206.452	Ø 6 mm X 20 cm
ZA-206.436	Ø 3 mm X 15 cm	ZA-206.445	Ø 4 mm X 35 cm	ZA-206.453	Ø 6 mm X 25 cm
ZA-206.437	Ø 3 mm X 20 cm	ZA-206.446	Ø 5 mm X 15 cm	ZA-206.454	Ø 6 mm X 30 cm
ZA-206.438	Ø 3 mm X 25 cm	ZA-206.447	Ø 5 mm X 20 cm	ZA-206.455	Ø 6 mm X 35 cm
ZA-206.439	Ø 3 mm X 30 cm				



Fig. 3F

Power Cannula

ZA-206.471	Ø 2 mm X 15 cm	ZA-206.480	Ø 3 mm X 35 cm	ZA-206.488	Ø 5 mm X 25 cm
ZA-206.472	Ø 2 mm X 20 cm	ZA-206.481	Ø 4 mm X 15 cm	ZA-206.489	Ø 5 mm X 30 cm
ZA-206.473	Ø 2 mm X 25 cm	ZA-206.482	Ø 4 mm X 20 cm	ZA-206.490	Ø 5 mm X 35 cm
ZA-206.474	Ø 2 mm X 30 cm	ZA-206.483	Ø 4 mm X 25 cm	ZA-206.491	Ø 6 mm X 15 cm
ZA-206.475	Ø 2 mm X 35 cm	ZA-206.484	Ø 4 mm X 30 cm	ZA-206.492	Ø 6 mm X 20 cm
ZA-206.476	Ø 3 mm X 15 cm	ZA-206.485	Ø 4 mm X 35 cm	ZA-206.493	Ø 6 mm X 25 cm
ZA-206.477	Ø 3 mm X 20 cm	ZA-206.486	Ø 5 mm X 15 cm	ZA-206.494	Ø 6 mm X 30 cm
ZA-206.478	Ø 3 mm X 25 cm	ZA-206.487	Ø 5 mm X 20 cm	ZA-206.495	Ø 6 mm X 35 cm
ZA-206.479	Ø 3 mm X 30 cm				

GENERAL SUCTION CANNULAS




Fig. 2Ech

Power Cannula					
ZA-206.501	Ø 2 mm X 15 cm	ZA-206.510	Ø 3 mm X 35 cm	ZA-206.518	Ø 5 mm X 25 cm
ZA-206.502	Ø 2 mm X 20 cm	ZA-206.511	Ø 4 mm X 15 cm	ZA-206.519	Ø 5 mm X 30 cm
ZA-206.503	Ø 2 mm X 25 cm	ZA-206.512	Ø 4 mm X 20 cm	ZA-206.520	Ø 5 mm X 35 cm
ZA-206.504	Ø 2 mm X 30 cm	ZA-206.513	Ø 4 mm X 25 cm	ZA-206.521	Ø 6 mm X 15 cm
ZA-206.505	Ø 2 mm X 35 cm	ZA-206.514	Ø 4 mm X 30 cm	ZA-206.522	Ø 6 mm X 20 cm
ZA-206.506	Ø 3 mm X 15 cm	ZA-206.515	Ø 4 mm X 35 cm	ZA-206.523	Ø 6 mm X 25 cm
ZA-206.507	Ø 3 mm X 20 cm	ZA-206.516	Ø 5 mm X 15 cm	ZA-206.524	Ø 6 mm X 30 cm
ZA-206.508	Ø 3 mm X 25 cm	ZA-206.517	Ø 5 mm X 20 cm	ZA-206.525	Ø 6 mm X 35 cm
ZA-206.509	Ø 3 mm X 30 cm				



Two Square-In Line

Luer lock (Stainless Steel)					
	7cm	10cm	15cm	20cm	25cm
2.0 Ø	ZA-205.131	ZA-205.141	ZA-205.151	ZA-205.161	ZA-205.171
2.5 Ø	ZA-205.132	ZA-205.142	ZA-205.152	ZA-205.162	ZA-205.172
3.0 Ø	ZA-205.133	ZA-205.143	ZA-205.153	ZA-205.163	ZA-205.173
3.5 Ø	ZA-205.134	ZA-205.144	ZA-205.154	ZA-205.164	ZA-205.174
4.0 Ø	ZA-205.135	ZA-205.145	ZA-205.155	ZA-205.165	ZA-205.175

Power Cannula					
ZA-206.551	Ø 2 mm X 15 cm	ZA-206.560	Ø 3 mm X 35 cm	ZA-206.568	Ø 5 mm X 25 cm
ZA-206.552	Ø 2 mm X 20 cm	ZA-206.561	Ø 4 mm X 15 cm	ZA-206.569	Ø 5 mm X 30 cm
ZA-206.553	Ø 2 mm X 25 cm	ZA-206.562	Ø 4 mm X 20 cm	ZA-206.570	Ø 5 mm X 35 cm
ZA-206.554	Ø 2 mm X 30 cm	ZA-206.563	Ø 4 mm X 25 cm	ZA-206.571	Ø 6 mm X 15 cm
ZA-206.555	Ø 2 mm X 35 cm	ZA-206.564	Ø 4 mm X 30 cm	ZA-206.572	Ø 6 mm X 20 cm
ZA-206.556	Ø 3 mm X 15 cm	ZA-206.565	Ø 4 mm X 35 cm	ZA-206.573	Ø 6 mm X 25 cm
ZA-206.557	Ø 3 mm X 20 cm	ZA-206.566	Ø 5 mm X 15 cm	ZA-206.574	Ø 6 mm X 30 cm
ZA-206.558	Ø 3 mm X 25 cm	ZA-206.567	Ø 5 mm X 20 cm	ZA-206.575	Ø 6 mm X 35 cm
ZA-206.559	Ø 3 mm X 30 cm				



One Central Port-Two Parallel Ports

Power Cannula

ZA-206.591	Ø 2 mm X 15 cm	ZA-206.600	Ø 3 mm X 35 cm	ZA-206.608	Ø 5 mm X 25 cm
ZA-206.592	Ø 2 mm X 20 cm	ZA-206.601	Ø 4 mm X 15 cm	ZA-206.609	Ø 5 mm X 30 cm
ZA-206.593	Ø 2 mm X 25 cm	ZA-206.602	Ø 4 mm X 20 cm	ZA-206.610	Ø 5 mm X 35 cm
ZA-206.594	Ø 2 mm X 30 cm	ZA-206.603	Ø 4 mm X 25 cm	ZA-206.611	Ø 6 mm X 15 cm
ZA-206.595	Ø 2 mm X 35 cm	ZA-206.604	Ø 4 mm X 30 cm	ZA-206.612	Ø 6 mm X 20 cm
ZA-206.596	Ø 3 mm X 15 cm	ZA-206.605	Ø 4 mm X 35 cm	ZA-206.613	Ø 6 mm X 25 cm
ZA-206.597	Ø 3 mm X 20 cm	ZA-206.606	Ø 5 mm X 15 cm	ZA-206.614	Ø 6 mm X 30 cm
ZA-206.598	Ø 3 mm X 25 cm	ZA-206.607	Ø 5 mm X 20 cm	ZA-206.615	Ø 6 mm X 35 cm
ZA-206.599	Ø 3 mm X 30 cm				

Two Parallel Port- One Central Port

Power Cannula

ZA-206.651	Ø 2 mm X 15 cm	ZA-206.660	Ø 3 mm X 35 cm	ZA-206.668	Ø 5 mm X 25 cm
ZA-206.652	Ø 2 mm X 20 cm	ZA-206.661	Ø 4 mm X 15 cm	ZA-206.669	Ø 5 mm X 30 cm
ZA-206.653	Ø 2 mm X 25 cm	ZA-206.662	Ø 4 mm X 20 cm	ZA-206.670	Ø 5 mm X 35 cm
ZA-206.654	Ø 2 mm X 30 cm	ZA-206.663	Ø 4 mm X 25 cm	ZA-206.671	Ø 6 mm X 15 cm
ZA-206.655	Ø 2 mm X 35 cm	ZA-206.664	Ø 4 mm X 30 cm	ZA-206.672	Ø 6 mm X 20 cm
ZA-206.656	Ø 3 mm X 15 cm	ZA-206.665	Ø 4 mm X 35 cm	ZA-206.673	Ø 6 mm X 25 cm
ZA-206.657	Ø 3 mm X 20 cm	ZA-206.666	Ø 5 mm X 15 cm	ZA-206.674	Ø 6 mm X 30 cm
ZA-206.658	Ø 3 mm X 25 cm	ZA-206.667	Ø 5 mm X 20 cm	ZA-206.675	Ø 6 mm X 35 cm
ZA-206.659	Ø 3 mm X 30 cm				

GENERAL SUCTION CANNULAS



Fig. 3Me

Luer lock (Stainless Steel)					
	7cm	10cm	15cm	20cm	25cm
2.0 Ø	ZA-205.181	ZA-205.191	ZA-205.201	ZA-205.211	ZA-205.221
2.5 Ø	ZA-205.182	ZA-205.192	ZA-205.202	ZA-205.212	ZA-205.222
3.0 Ø	ZA-205.183	ZA-205.193	ZA-205.203	ZA-205.213	ZA-205.223
3.5 Ø	ZA-205.184	ZA-205.194	ZA-205.204	ZA-205.214	ZA-205.224
4.0 Ø	ZA-205.185	ZA-205.195	ZA-205.205	ZA-205.215	ZA-205.225

Power Cannula					
ZA-206.681	Ø 2 mm X 15 cm	ZA-206.690	Ø 3 mm X 35 cm	ZA-206.698	Ø 5 mm X 25 cm
ZA-206.682	Ø 2 mm X 20 cm	ZA-206.691	Ø 4 mm X 15 cm	ZA-206.699	Ø 5 mm X 30 cm
ZA-206.683	Ø 2 mm X 25 cm	ZA-206.692	Ø 4 mm X 20 cm	ZA-206.700	Ø 5 mm X 35 cm
ZA-206.684	Ø 2 mm X 30 cm	ZA-206.693	Ø 4 mm X 25 cm	ZA-206.701	Ø 6 mm X 15 cm
ZA-206.685	Ø 2 mm X 35 cm	ZA-206.694	Ø 4 mm X 30 cm	ZA-206.702	Ø 6 mm X 20 cm
ZA-206.686	Ø 3 mm X 15 cm	ZA-206.695	Ø 4 mm X 35 cm	ZA-206.703	Ø 6 mm X 25 cm
ZA-206.687	Ø 3 mm X 20 cm	ZA-206.696	Ø 5 mm X 15 cm	ZA-206.704	Ø 6 mm X 30 cm
ZA-206.688	Ø 3 mm X 25 cm	ZA-206.697	Ø 5 mm X 20 cm	ZA-206.705	Ø 6 mm X 35 cm
ZA-206.689	Ø 3 mm X 30 cm				

Fig. 3Hr

Power Cannula					
ZA-206.721	Ø 2 mm X 15 cm	ZA-206.730	Ø 3 mm X 35 cm	ZA-206.738	Ø 5 mm X 25 cm
ZA-206.722	Ø 2 mm X 20 cm	ZA-206.731	Ø 4 mm X 15 cm	ZA-206.739	Ø 5 mm X 30 cm
ZA-206.723	Ø 2 mm X 25 cm	ZA-206.732	Ø 4 mm X 20 cm	ZA-206.740	Ø 5 mm X 35 cm
ZA-206.724	Ø 2 mm X 30 cm	ZA-206.733	Ø 4 mm X 25 cm	ZA-206.741	Ø 6 mm X 15 cm
ZA-206.725	Ø 2 mm X 35 cm	ZA-206.734	Ø 4 mm X 30 cm	ZA-206.742	Ø 6 mm X 20 cm
ZA-206.726	Ø 3 mm X 15 cm	ZA-206.735	Ø 4 mm X 35 cm	ZA-206.743	Ø 6 mm X 25 cm
ZA-206.727	Ø 3 mm X 20 cm	ZA-206.736	Ø 5 mm X 15 cm	ZA-206.744	Ø 6 mm X 30 cm
ZA-206.728	Ø 3 mm X 25 cm	ZA-206.737	Ø 5 mm X 20 cm	ZA-206.745	Ø 6 mm X 35 cm
ZA-206.729	Ø 3 mm X 30 cm				

Fig. Riz

Power Cannula					
ZA-206.751	Ø 2 mm X 15 cm	ZA-206.760	Ø 3 mm X 35 cm	ZA-206.768	Ø 5 mm X 25 cm
ZA-206.752	Ø 2 mm X 20 cm	ZA-206.761	Ø 4 mm X 15 cm	ZA-206.769	Ø 5 mm X 30 cm
ZA-206.753	Ø 2 mm X 25 cm	ZA-206.762	Ø 4 mm X 20 cm	ZA-206.770	Ø 5 mm X 35 cm
ZA-206.754	Ø 2 mm X 30 cm	ZA-206.763	Ø 4 mm X 25 cm	ZA-206.771	Ø 6 mm X 15 cm
ZA-206.755	Ø 2 mm X 35 cm	ZA-206.764	Ø 4 mm X 30 cm	ZA-206.772	Ø 6 mm X 20 cm
ZA-206.756	Ø 3 mm X 15 cm	ZA-206.765	Ø 4 mm X 35 cm	ZA-206.773	Ø 6 mm X 25 cm
ZA-206.757	Ø 3 mm X 20 cm	ZA-206.766	Ø 5 mm X 15 cm	ZA-206.774	Ø 6 mm X 30 cm
ZA-206.758	Ø 3 mm X 25 cm	ZA-206.767	Ø 5 mm X 20 cm	ZA-206.775	Ø 6 mm X 35 cm
ZA-206.759	Ø 3 mm X 30 cm				



Fig. 5Ai

Power Cannula

ZA-206.721	Ø 2 mm X 15 cm	ZA-206.730	Ø 3 mm X 35 cm	ZA-206.738	Ø 5 mm X 25 cm
ZA-206.722	Ø 2 mm X 20 cm	ZA-206.731	Ø 4 mm X 15 cm	ZA-206.739	Ø 5 mm X 30 cm
ZA-206.723	Ø 2 mm X 25 cm	ZA-206.732	Ø 4 mm X 20 cm	ZA-206.740	Ø 5 mm X 35 cm
ZA-206.724	Ø 2 mm X 30 cm	ZA-206.733	Ø 4 mm X 25 cm	ZA-206.741	Ø 6 mm X 15 cm
ZA-206.725	Ø 2 mm X 35 cm	ZA-206.734	Ø 4 mm X 30 cm	ZA-206.742	Ø 6 mm X 20 cm
ZA-206.726	Ø 3 mm X 15 cm	ZA-206.735	Ø 4 mm X 35 cm	ZA-206.743	Ø 6 mm X 25 cm
ZA-206.727	Ø 3 mm X 20 cm	ZA-206.736	Ø 5 mm X 15 cm	ZA-206.744	Ø 6 mm X 30 cm
ZA-206.728	Ø 3 mm X 25 cm	ZA-206.737	Ø 5 mm X 20 cm	ZA-206.745	Ø 6 mm X 35 cm
ZA-206.729	Ø 3 mm X 30 cm				

Fig. Mr

Power Cannula

ZA-206.751	Ø 2 mm X 15 cm	ZA-206.760	Ø 3 mm X 35 cm	ZA-206.768	Ø 5 mm X 25 cm
ZA-206.752	Ø 2 mm X 20 cm	ZA-206.761	Ø 4 mm X 15 cm	ZA-206.769	Ø 5 mm X 30 cm
ZA-206.753	Ø 2 mm X 25 cm	ZA-206.762	Ø 4 mm X 20 cm	ZA-206.770	Ø 5 mm X 35 cm
ZA-206.754	Ø 2 mm X 30 cm	ZA-206.763	Ø 4 mm X 25 cm	ZA-206.771	Ø 6 mm X 15 cm
ZA-206.755	Ø 2 mm X 35 cm	ZA-206.764	Ø 4 mm X 30 cm	ZA-206.772	Ø 6 mm X 20 cm
ZA-206.756	Ø 3 mm X 15 cm	ZA-206.765	Ø 4 mm X 35 cm	ZA-206.773	Ø 6 mm X 25 cm
ZA-206.757	Ø 3 mm X 20 cm	ZA-206.766	Ø 5 mm X 15 cm	ZA-206.774	Ø 6 mm X 30 cm
ZA-206.758	Ø 3 mm X 25 cm	ZA-206.767	Ø 5 mm X 20 cm	ZA-206.775	Ø 6 mm X 35 cm
ZA-206.759	Ø 3 mm X 30 cm				

Fig. P3G

Power Cannula

ZA-206.791	Ø 2 mm X 15 cm	ZA-206.800	Ø 3 mm X 35 cm	ZA-206.808	Ø 5 mm X 25 cm
ZA-206.792	Ø 2 mm X 20 cm	ZA-206.801	Ø 4 mm X 15 cm	ZA-206.809	Ø 5 mm X 30 cm
ZA-206.793	Ø 2 mm X 25 cm	ZA-206.802	Ø 4 mm X 20 cm	ZA-206.810	Ø 5 mm X 35 cm
ZA-206.794	Ø 2 mm X 30 cm	ZA-206.803	Ø 4 mm X 25 cm	ZA-206.811	Ø 6 mm X 15 cm
ZA-206.795	Ø 2 mm X 35 cm	ZA-206.804	Ø 4 mm X 30 cm	ZA-206.812	Ø 6 mm X 20 cm
ZA-206.796	Ø 3 mm X 15 cm	ZA-206.805	Ø 4 mm X 35 cm	ZA-206.813	Ø 6 mm X 25 cm
ZA-206.797	Ø 3 mm X 20 cm	ZA-206.806	Ø 5 mm X 15 cm	ZA-206.814	Ø 6 mm X 30 cm
ZA-206.798	Ø 3 mm X 25 cm	ZA-206.807	Ø 5 mm X 20 cm	ZA-206.815	Ø 6 mm X 35 cm
ZA-206.799	Ø 3 mm X 30 cm				

GENERAL SUCTION CANNULAS




Fig. Py

Power Cannula					
ZA-206.831	Ø 2 mm X 15 cm	ZA-206.840	Ø 3 mm X 35 cm	ZA-206.848	Ø 5 mm X 25 cm
ZA-206.832	Ø 2 mm X 20 cm	ZA-206.841	Ø 4 mm X 15 cm	ZA-206.849	Ø 5 mm X 30 cm
ZA-206.833	Ø 2 mm X 25 cm	ZA-206.842	Ø 4 mm X 20 cm	ZA-206.850	Ø 5 mm X 35 cm
ZA-206.834	Ø 2 mm X 30 cm	ZA-206.843	Ø 4 mm X 25 cm	ZA-206.851	Ø 6 mm X 15 cm
ZA-206.835	Ø 2 mm X 35 cm	ZA-206.844	Ø 4 mm X 30 cm	ZA-206.852	Ø 6 mm X 20 cm
ZA-206.836	Ø 3 mm X 15 cm	ZA-206.845	Ø 4 mm X 35 cm	ZA-206.853	Ø 6 mm X 25 cm
ZA-206.837	Ø 3 mm X 20 cm	ZA-206.846	Ø 5 mm X 15 cm	ZA-206.854	Ø 6 mm X 30 cm
ZA-206.838	Ø 3 mm X 25 cm	ZA-206.847	Ø 5 mm X 20 cm	ZA-206.855	Ø 6 mm X 35 cm
ZA-206.839	Ø 3 mm X 30 cm				

Fig. Le

Power Cannula					
ZA-206.861	Ø 2 mm X 15 cm	ZA-206.870	Ø 3 mm X 35 cm	ZA-206.878	Ø 5 mm X 25 cm
ZA-206.862	Ø 2 mm X 20 cm	ZA-206.871	Ø 4 mm X 15 cm	ZA-206.879	Ø 5 mm X 30 cm
ZA-206.863	Ø 2 mm X 25 cm	ZA-206.872	Ø 4 mm X 20 cm	ZA-206.880	Ø 5 mm X 35 cm
ZA-206.864	Ø 2 mm X 30 cm	ZA-206.873	Ø 4 mm X 25 cm	ZA-206.881	Ø 6 mm X 15 cm
ZA-206.865	Ø 2 mm X 35 cm	ZA-206.874	Ø 4 mm X 30 cm	ZA-206.882	Ø 6 mm X 20 cm
ZA-206.866	Ø 3 mm X 15 cm	ZA-206.875	Ø 4 mm X 35 cm	ZA-206.883	Ø 6 mm X 25 cm
ZA-206.867	Ø 3 mm X 20 cm	ZA-206.876	Ø 5 mm X 15 cm	ZA-206.884	Ø 6 mm X 30 cm
ZA-206.868	Ø 3 mm X 25 cm	ZA-206.877	Ø 5 mm X 20 cm	ZA-206.885	Ø 6 mm X 35 cm
ZA-206.869	Ø 3 mm X 30 cm				



Harvester Cannulas

Fat Harvesting for Re-grafting is a delicate difficult and time consuming process. But with HELIX Surgical's Specifically designed Harvesting Cannulas will help you to achieve this goal in super efficient way.

Micro fat Harvesting - No problem with HELIX Cannulas.

HARVESTER CANNULAS



Multiport Speed Harvester- Both End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.

60cc Tommey hub

ZA-301.01	Ø 2.5 mm X 15 cm
ZA-301.02	Ø 2.5 mm X 20 cm
ZA-301.03	Ø 3.0 mm X 15 cm
ZA-301.04	Ø 3.0 mm X 20 cm
ZA-301.05	Ø 3.0 mm X 25 cm
ZA-301.06	Ø 4.0 mm X 25 cm
ZA-301.07	Ø 4.0 mm X 30 cm
ZA-301.08	Ø 4.0 mm X 35 cm
ZA-301.09	Ø 4.5 mm X 30 cm
ZA-301.10	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-302.01	Ø 3.0 mm X 15 cm
ZA-302.02	Ø 3.0 mm X 25 cm
ZA-302.03	Ø 4.0 mm X 15 cm
ZA-302.04	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-303.01	Ø 2.0 mm X 15 cm
ZA-303.02	Ø 2.5 mm X 15 cm
ZA-303.03	Ø 2.5 mm X 20 cm
ZA-303.04	Ø 3.0 mm X 15 cm
ZA-303.05	Ø 3.0 mm X 20 cm
ZA-303.06	Ø 3.0 mm X 25 cm

Luer lock

ZA-304.01	Ø 2.0 mm X 15 cm
ZA-304.02	Ø 2.5 mm X 15 cm
ZA-304.03	Ø 2.5 mm X 20 cm
ZA-304.04	Ø 3.0 mm X 15 cm
ZA-304.05	Ø 3.0 mm X 20 cm
ZA-304.06	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-305.01	Ø 2.0 mm X 15 cm
ZA-305.02	Ø 2.5 mm X 15 cm
ZA-305.03	Ø 2.5 mm X 20 cm
ZA-305.04	Ø 3.0 mm X 15 cm
ZA-305.05	Ø 3.0 mm X 20 cm
ZA-305.06	Ø 3.0 mm X 25 cm

Power Cannula

ZA-306.01	Ø 2 mm X 15 cm
ZA-306.02	Ø 2 mm X 20 cm
ZA-306.03	Ø 2 mm X 25 cm
ZA-306.04	Ø 2 mm X 30 cm
ZA-306.05	Ø 2 mm X 35 cm
ZA-306.06	Ø 3 mm X 15 cm
ZA-306.07	Ø 3 mm X 20 cm
ZA-306.08	Ø 3 mm X 25 cm
ZA-306.09	Ø 3 mm X 30 cm
ZA-306.10	Ø 3 mm X 35 cm
ZA-306.11	Ø 4 mm X 15 cm
ZA-306.12	Ø 4 mm X 20 cm
ZA-306.13	Ø 4 mm X 25 cm
ZA-306.14	Ø 4 mm X 30 cm
ZA-306.15	Ø 4 mm X 35 cm
ZA-306.16	Ø 5 mm X 15 cm
ZA-306.17	Ø 5 mm X 20 cm
ZA-306.18	Ø 5 mm X 25 cm
ZA-306.19	Ø 5 mm X 30 cm
ZA-306.20	Ø 5 mm X 35 cm
ZA-306.21	Ø 6 mm X 15 cm
ZA-306.22	Ø 6 mm X 20 cm
ZA-306.23	Ø 6 mm X 25 cm
ZA-306.24	Ø 6 mm X 30 cm
ZA-306.25	Ø 6 mm X 35 cm



Multiport Speed Harvester- One End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.

60cc Tommey hub

ZA-301.11	Ø 2.5 mm X 15 cm
ZA-301.12	Ø 2.5 mm X 20 cm
ZA-301.13	Ø 3.0 mm X 15 cm
ZA-301.14	Ø 3.0 mm X 20 cm
ZA-301.15	Ø 3.0 mm X 25 cm
ZA-301.16	Ø 4.0 mm X 25 cm
ZA-301.17	Ø 4.0 mm X 30 cm
ZA-301.18	Ø 4.0 mm X 35 cm
ZA-301.19	Ø 4.5 mm X 30 cm
ZA-301.20	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-302.11	Ø 3.0 mm X 15 cm
ZA-302.12	Ø 3.0 mm X 25 cm
ZA-302.13	Ø 4.0 mm X 15 cm
ZA-302.14	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-303.11	Ø 2.0 mm X 15 cm
ZA-303.12	Ø 2.5 mm X 15 cm
ZA-303.13	Ø 2.5 mm X 20 cm
ZA-303.14	Ø 3.0 mm X 15 cm
ZA-303.15	Ø 3.0 mm X 20 cm
ZA-303.16	Ø 3.0 mm X 25 cm

Luer lock

ZA-304.11	Ø 2.0 mm X 15 cm
ZA-304.12	Ø 2.5 mm X 15 cm
ZA-304.13	Ø 2.5 mm X 20 cm
ZA-304.14	Ø 3.0 mm X 15 cm
ZA-304.15	Ø 3.0 mm X 20 cm
ZA-304.16	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-305.11	Ø 2.0 mm X 15 cm
ZA-305.12	Ø 2.5 mm X 15 cm
ZA-305.13	Ø 2.5 mm X 20 cm
ZA-305.14	Ø 3.0 mm X 15 cm
ZA-305.15	Ø 3.0 mm X 20 cm
ZA-305.16	Ø 3.0 mm X 25 cm

Power Cannula

ZA-306.11	Ø 2 mm X 15 cm
ZA-306.12	Ø 2 mm X 20 cm
ZA-306.13	Ø 2 mm X 25 cm
ZA-306.14	Ø 2 mm X 30 cm
ZA-306.15	Ø 2 mm X 35 cm
ZA-306.16	Ø 3 mm X 15 cm
ZA-306.17	Ø 3 mm X 20 cm
ZA-306.18	Ø 3 mm X 25 cm
ZA-306.19	Ø 3 mm X 30 cm
ZA-306.20	Ø 3 mm X 35 cm
ZA-306.21	Ø 4 mm X 15 cm
ZA-306.22	Ø 4 mm X 20 cm
ZA-306.23	Ø 4 mm X 25 cm
ZA-306.24	Ø 4 mm X 30 cm
ZA-306.25	Ø 4 mm X 35 cm
ZA-306.26	Ø 5 mm X 15 cm
ZA-306.27	Ø 5 mm X 20 cm
ZA-306.28	Ø 5 mm X 25 cm
ZA-306.29	Ø 5 mm X 30 cm
ZA-306.30	Ø 5 mm X 35 cm
ZA-306.31	Ø 6 mm X 15 cm
ZA-306.32	Ø 6 mm X 20 cm
ZA-306.33	Ø 6 mm X 25 cm
ZA-306.34	Ø 6 mm X 30 cm
ZA-306.35	Ø 6 mm X 35 cm

HARVESTER CANNULAS



Multi Port Harvester - Both End Bevel

A sophisticated, precision-designed harvester that is truly Patient Friendly. The ports in the Sorensen Harvester are machined with alternating 60 degree cutting edges. This unique design is less traumatic than other multi-port harvesters and delivers a fine-grained, high fat content/purity yield that can easily pass through 1.2mm, 0.9mm and 0.7mm blunt injectors.

60cc Tommey hub

ZA-301.21	Ø 2.5 mm X 15 cm
ZA-301.22	Ø 2.5 mm X 20 cm
ZA-301.23	Ø 3.0 mm X 15 cm
ZA-301.24	Ø 3.0 mm X 20 cm
ZA-301.25	Ø 3.0 mm X 25 cm
ZA-301.26	Ø 4.0 mm X 25 cm
ZA-301.27	Ø 4.0 mm X 30 cm
ZA-301.28	Ø 4.0 mm X 35 cm
ZA-301.29	Ø 4.5 mm X 30 cm
ZA-301.30	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-302.21	Ø 3.0 mm X 15 cm
ZA-302.22	Ø 3.0 mm X 25 cm
ZA-302.23	Ø 4.0 mm X 15 cm
ZA-302.24	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-303.21	Ø 2.0 mm X 15 cm
ZA-303.22	Ø 2.5 mm X 15 cm
ZA-303.23	Ø 2.5 mm X 20 cm
ZA-303.24	Ø 3.0 mm X 15 cm
ZA-303.25	Ø 3.0 mm X 20 cm
ZA-303.26	Ø 3.0 mm X 25 cm

Luer lock

ZA-304.21	Ø 2.0 mm X 15 cm
ZA-304.22	Ø 2.5 mm X 15 cm
ZA-304.23	Ø 2.5 mm X 20 cm
ZA-304.24	Ø 3.0 mm X 15 cm
ZA-304.25	Ø 3.0 mm X 20 cm
ZA-304.26	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-305.21	Ø 2.0 mm X 15 cm
ZA-305.22	Ø 2.5 mm X 15 cm
ZA-305.23	Ø 2.5 mm X 20 cm
ZA-305.24	Ø 3.0 mm X 15 cm
ZA-305.25	Ø 3.0 mm X 20 cm
ZA-305.26	Ø 3.0 mm X 25 cm

Power Cannula

ZA-306.21	Ø 2 mm X 15 cm
ZA-306.22	Ø 2 mm X 20 cm
ZA-306.23	Ø 2 mm X 25 cm
ZA-306.24	Ø 2 mm X 30 cm
ZA-306.25	Ø 2 mm X 35 cm
ZA-306.26	Ø 3 mm X 15 cm
ZA-306.27	Ø 3 mm X 20 cm
ZA-306.28	Ø 3 mm X 25 cm
ZA-306.29	Ø 3 mm X 30 cm
ZA-306.30	Ø 3 mm X 35 cm
ZA-306.31	Ø 4 mm X 15 cm
ZA-306.32	Ø 4 mm X 20 cm
ZA-306.33	Ø 4 mm X 25 cm
ZA-306.34	Ø 4 mm X 30 cm
ZA-306.35	Ø 4 mm X 35 cm
ZA-306.36	Ø 5 mm X 15 cm
ZA-306.37	Ø 5 mm X 20 cm
ZA-306.38	Ø 5 mm X 25 cm
ZA-306.39	Ø 5 mm X 30 cm
ZA-306.40	Ø 5 mm X 35 cm
ZA-306.41	Ø 6 mm X 15 cm
ZA-306.42	Ø 6 mm X 20 cm
ZA-306.43	Ø 6 mm X 25 cm
ZA-306.44	Ø 6 mm X 30 cm
ZA-306.45	Ø 6 mm X 35 cm



Injector Cannulas

(Micro Injectors)

MICRO INJECTORS



Sharp Extractor/Injector

This tip works well for needle extraction of soft tissue and as a soft tissue reinjection needle.

Ultra Luer lock		Luer lock	
ZA-403.01	Ø 1.0 mm X 5 cm	ZA-404.01	Ø 1.0 mm X 5 cm
ZA-403.02	Ø 1.0 mm X 7 cm	ZA-404.02	Ø 1.0 mm X 7 cm
ZA-403.03	Ø 2.0 mm X 15 cm	ZA-404.03	Ø 2.0 mm X 15 cm
ZA-403.04	Ø 2.5 mm X 15 cm	ZA-404.04	Ø 2.5 mm X 15 cm
ZA-403.05	Ø 3.0 mm X 15 cm	ZA-404.05	Ø 3.0 mm X 15 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZA-405.01	ZA-405.11	ZA-405.21	ZA-405.31	ZA-405.41
1.4Ø	ZA-405.02	ZA-405.12	ZA-405.22	ZA-405.32	ZA-405.42
1.8Ø	ZA-405.03	ZA-405.13	ZA-405.23	ZA-405.33	ZA-405.43
2.0Ø	ZA-405.04	ZA-405.14	ZA-405.24	ZA-405.34	ZA-405.44

Blunt Extractor/Injector

This tip works well for needle extraction of soft tissue and as a soft tissue reinjection needle.

Ultra Luer lock		Luer lock	
ZA-403.11	Ø 2.0 mm X 15 cm	ZA-404.11	Ø 2.0 mm X 15 cm
ZA-403.12	Ø 2.5 mm X 15 cm	ZA-404.12	Ø 2.5 mm X 15 cm
ZA-403.13	Ø 3.0 mm X 15 cm	ZA-404.13	Ø 3.0 mm X 15 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZA-405.51	ZA-405.61	ZA-405.71	ZA-405.81	ZA-405.91
1.4Ø	ZA-405.52	ZA-405.62	ZA-405.72	ZA-405.82	ZA-405.92
1.8Ø	ZA-405.53	ZA-405.63	ZA-405.73	ZA-405.83	ZA-405.93
2.0Ø	ZA-405.54	ZA-405.64	ZA-405.74	ZA-405.84	ZA-405.94

Blunt Tip Injector

Rounded blunt tip design passes through soft tissue easily without the trauma or potential problems of sharp instruments.

Ultra Luer lock		Luer lock	
ZA-403.21	Ø 1.0 mm X 4 cm	ZA-404.21	Ø 1.0 mm X 4 cm
ZA-403.22	Ø 1.0 mm X 5 cm	ZA-404.22	Ø 1.0 mm X 5 cm
ZA-403.23	Ø 1.0 mm X 7 cm	ZA-404.23	Ø 1.0 mm X 7 cm
ZA-403.24	Curved 12 cm	ZA-404.24	Curved 12 cm
ZA-403.25	Curved 15 cm	ZA-404.25	Curved 15 cm
ZA-403.26	Curved 20 cm	ZA-404.26	Curved 20 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZA-405.101	ZA-405.111	ZA-405.121	ZA-405.131	ZA-405.141
1.4Ø	ZA-405.102	ZA-405.112	ZA-405.122	ZA-405.132	ZA-405.142
1.8Ø	ZA-405.103	ZA-405.113	ZA-405.123	ZA-405.133	ZA-405.143
2.0Ø	ZA-405.104	ZA-405.114	ZA-405.124	ZA-405.134	ZA-405.144




Fig. 2B

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.10	ZA-405.201	ZA-405.211	ZA-405.221	ZA-405.231	ZA-405.241
1.40	ZA-405.202	ZA-405.212	ZA-405.222	ZA-405.232	ZA-405.242
1.80	ZA-405.203	ZA-405.213	ZA-405.223	ZA-405.233	ZA-405.243
2.00	ZA-405.204	ZA-405.214	ZA-405.224	ZA-405.234	ZA-405.244



Fig. 1C

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.10	ZA-405.251	ZA-405.261	ZA-405.271	ZA-405.281	ZA-405.291
1.40	ZA-405.252	ZA-405.262	ZA-405.272	ZA-405.282	ZA-405.292
1.80	ZA-405.253	ZA-405.263	ZA-405.273	ZA-405.283	ZA-405.293
2.00	ZA-405.254	ZA-405.264	ZA-405.274	ZA-405.284	ZA-405.294



Fig. 1P

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.10	ZA-405.301	ZA-405.311	ZA-405.321	ZA-405.331	ZA-405.341
1.40	ZA-405.302	ZA-405.312	ZA-405.322	ZA-405.332	ZA-405.342
1.80	ZA-405.303	ZA-405.313	ZA-405.323	ZA-405.333	ZA-405.343
2.00	ZA-405.304	ZA-405.314	ZA-405.324	ZA-405.334	ZA-405.344



Fig. 2E

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.10	ZA-405.351	ZA-405.361	ZA-405.371	ZA-405.381	ZA-405.391
1.40	ZA-405.352	ZA-405.362	ZA-405.372	ZA-405.382	ZA-405.392
1.80	ZA-405.353	ZA-405.363	ZA-405.373	ZA-405.383	ZA-405.393
2.00	ZA-405.354	ZA-405.364	ZA-405.374	ZA-405.384	ZA-405.394

MICRO INJECTORS



Coleman Liposuction Cannula Fig. MIC I

Luer lock (Stainless Steel)								
	3cm	5cm	7cm	10cm	12cm	15cm	20cm	3.5cm
1.1Ø	ZA-405.401	ZA-405.411	ZA-405.421	ZA-405.431	ZA-405.441	ZA-405.451	ZA-405.461	ZA-405.471
1.4Ø	ZA-405.402	ZA-405.412	ZA-405.422	ZA-405.432	ZA-405.442	ZA-405.452	ZA-405.462	ZA-405.472
1.8Ø	ZA-405.403	ZA-405.413	ZA-405.423	ZA-405.433	ZA-405.443	ZA-405.453	ZA-405.463	ZA-405.473
2.0Ø	ZA-405.404	ZA-405.414	ZA-405.424	ZA-405.434	ZA-405.444	ZA-405.454	ZA-405.464	ZA-405.474
2.5Ø	ZA-405.405	ZA-405.415	ZA-405.425	ZA-405.435	ZA-405.445	ZA-405.455	ZA-405.465	ZA-405.475

Coleman Liposuction Cannula Fig. MIC II

Luer lock (Stainless Steel)							
	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	ZA-405.501	ZA-405.511	ZA-405.521	ZA-405.531	ZA-405.541	ZA-405.551	ZA-405.561
1.4Ø	ZA-405.502	ZA-405.512	ZA-405.522	ZA-405.532	ZA-405.542	ZA-405.552	ZA-405.562
1.8Ø	ZA-405.503	ZA-405.513	ZA-405.523	ZA-405.533	ZA-405.543	ZA-405.553	ZA-405.563
2.0Ø	ZA-405.504	ZA-405.514	ZA-405.524	ZA-405.534	ZA-405.544	ZA-405.554	ZA-405.564
2.5Ø	ZA-405.505	ZA-405.515	ZA-405.525	ZA-405.535	ZA-405.545	ZA-405.555	ZA-405.565

Coleman Liposuction Cannula Spoon Tip Fig. MIC III

This tip works well for needle extraction of soft tissue and as a soft tissue re injection needle.

Luer lock (Stainless Steel)							
	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	ZA-405.601	ZA-405.611	ZA-405.621	ZA-405.631	ZA-405.641	ZA-405.651	ZA-405.661
1.4Ø	ZA-405.602	ZA-405.612	ZA-405.622	ZA-405.632	ZA-405.642	ZA-405.652	ZA-405.662
1.8Ø	ZA-405.603	ZA-405.613	ZA-405.623	ZA-405.633	ZA-405.643	ZA-405.653	ZA-405.663
2.0Ø	ZA-405.604	ZA-405.614	ZA-405.624	ZA-405.634	ZA-405.644	ZA-405.654	ZA-405.664
2.5Ø	ZA-405.605	ZA-405.615	ZA-405.625	ZA-405.635	ZA-405.645	ZA-405.655	ZA-405.665

Little Injector

Open and more pointed blunt tip is very effective in dense and fibrous tissue.

Ultra Luer lock

ZA-403.51	Ø 1.0 mm X 4 cm
ZA-403.52	Ø 1.0 mm X 5 cm
ZA-403.53	Ø 1.0 mm X 7 cm

Luer lock

ZA-404.51	Ø 1.0 mm X 4 cm
ZA-404.52	Ø 1.0 mm X 5 cm
ZA-404.53	Ø 1.0 mm X 7 cm

Luer lock (Stainless Steel)

	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZA-405.701	ZA-405.711	ZA-405.721	ZA-405.731	ZA-405.741
1.4Ø	ZA-405.702	ZA-405.712	ZA-405.722	ZA-405.732	ZA-405.742
1.8Ø	ZA-405.703	ZA-405.713	ZA-405.723	ZA-405.733	ZA-405.743
2.0Ø	ZA-405.704	ZA-405.714	ZA-405.724	ZA-405.734	ZA-405.744




Fig. 1B

Luer lock (Stainless Steel)

	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	ZA-405.801	ZA-405.811	ZA-405.821	ZA-405.831	ZA-405.841	ZA-405.851	ZA-405.861
1.4Ø	ZA-405.802	ZA-405.812	ZA-405.822	ZA-405.832	ZA-405.842	ZA-405.852	ZA-405.862
1.8Ø	ZA-405.803	ZA-405.813	ZA-405.823	ZA-405.833	ZA-405.843	ZA-405.853	ZA-405.863
2.0Ø	ZA-405.804	ZA-405.814	ZA-405.824	ZA-405.834	ZA-405.844	ZA-405.854	ZA-405.864
2.5Ø	ZA-405.805	ZA-405.815	ZA-405.825	ZA-405.835	ZA-405.845	ZA-405.855	ZA-405.865

Curved Injectors



Curved Injectors

New Curved Injectors are designed especially for fat transfer procedures to the body. Their unique shape mimics the anatomical curvature of the female torso and, thus, easily produces the natural-looking results that patients desire. Curved Injection Cannulas ameliorate the fat transfer process by providing a direct and precise route to the injection site and by lessening the time required to correctly sculpt curves.



Speciality Cannulas

AL ZAHRAWI SURGICAL Speciality Cannula are useful tools for different to operation are such as face or Neck.



V-Dissector

This cannula is specifically designed for use in the superficial compartment of the truncal area. The cutting notch is very useful for undermining in facial procedures and in dense, fibrous tissue.

60cc Tommey hub

ZA-501.01	Ø 2.5 mm X 15 cm
ZA-501.02	Ø 2.5 mm X 20 cm
ZA-501.03	Ø 3.0 mm X 15 cm
ZA-501.04	Ø 3.0 mm X 20 cm
ZA-501.05	Ø 3.0 mm X 25 cm
ZA-501.06	Ø 4.0 mm X 25 cm
ZA-501.07	Ø 4.0 mm X 30 cm
ZA-501.08	Ø 4.0 mm X 35 cm
ZA-501.09	Ø 4.5 mm X 30 cm
ZA-501.10	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-502.01	Ø 3.0 mm X 15 cm
ZA-502.02	Ø 3.0 mm X 25 cm
ZA-502.03	Ø 4.0 mm X 15 cm
ZA-502.04	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-503.01	Ø 2.0 mm X 15 cm
ZA-503.02	Ø 2.5 mm X 15 cm
ZA-503.03	Ø 2.5 mm X 20 cm
ZA-503.04	Ø 3.0 mm X 15 cm
ZA-503.05	Ø 3.0 mm X 20 cm
ZA-503.06	Ø 3.0 mm X 25 cm

Luer lock

ZA-504.01	Ø 2.0 mm X 15 cm
ZA-504.02	Ø 2.5 mm X 15 cm
ZA-504.03	Ø 2.5 mm X 20 cm
ZA-504.04	Ø 3.0 mm X 15 cm
ZA-504.05	Ø 3.0 mm X 20 cm
ZA-504.06	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZA-505.01	Ø 2.0 mm X 15 cm
ZA-505.02	Ø 2.5 mm X 15 cm
ZA-505.03	Ø 2.5 mm X 20 cm
ZA-505.04	Ø 3.0 mm X 15 cm
ZA-505.05	Ø 3.0 mm X 20 cm
ZA-505.06	Ø 3.0 mm X 25 cm

Power Cannula

ZA-506.01	Ø 2 mm X 15 cm
ZA-506.02	Ø 2 mm X 20 cm
ZA-506.03	Ø 2 mm X 25 cm
ZA-506.04	Ø 2 mm X 30 cm
ZA-506.05	Ø 2 mm X 35 cm
ZA-506.06	Ø 3 mm X 15 cm
ZA-506.07	Ø 3 mm X 20 cm
ZA-506.08	Ø 3 mm X 25 cm
ZA-506.09	Ø 3 mm X 30 cm
ZA-506.10	Ø 3 mm X 35 cm
ZA-506.11	Ø 4 mm X 15 cm
ZA-506.12	Ø 4 mm X 20 cm
ZA-506.13	Ø 4 mm X 25 cm
ZA-506.14	Ø 4 mm X 30 cm
ZA-506.15	Ø 4 mm X 35 cm
ZA-506.16	Ø 5 mm X 15 cm
ZA-506.17	Ø 5 mm X 20 cm
ZA-506.18	Ø 5 mm X 25 cm
ZA-506.19	Ø 5 mm X 30 cm
ZA-506.20	Ø 5 mm X 35 cm
ZA-506.21	Ø 6 mm X 15 cm
ZA-506.22	Ø 6 mm X 20 cm
ZA-506.23	Ø 6 mm X 25 cm
ZA-506.24	Ø 6 mm X 30 cm
ZA-506.25	Ø 6 mm X 35 cm

SPECIALITY CANNULAS



Flap

The Flap is primarily used as an undermining dissector, and in smaller diameters, for facial tissue removal. The Flap Cannula in a 2.1mm diameter is very useful for undermining the nasolabial fold prior to autologous tissue injections, as well as for tissue removal in this anatomic area.

60cc Tommey hub

ZA-501.11	Ø 2.5 mm X 15 cm
ZA-501.12	Ø 2.5 mm X 20 cm
ZA-501.13	Ø 3.0 mm X 15 cm
ZA-501.14	Ø 3.0 mm X 20 cm
ZA-501.15	Ø 3.0 mm X 25 cm
ZA-501.16	Ø 4.0 mm X 25 cm
ZA-501.17	Ø 4.0 mm X 30 cm
ZA-501.18	Ø 4.0 mm X 35 cm
ZA-501.19	Ø 4.5 mm X 30 cm
ZA-501.20	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-502.11	Ø 3.0 mm X 15 cm
ZA-502.12	Ø 3.0 mm X 25 cm
ZA-502.13	Ø 4.0 mm X 15 cm
ZA-502.14	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-503.11	Ø 2.0 mm X 15 cm
ZA-503.12	Ø 2.5 mm X 15 cm
ZA-503.13	Ø 2.5 mm X 20 cm
ZA-503.14	Ø 3.0 mm X 15 cm
ZA-503.15	Ø 3.0 mm X 20 cm
ZA-503.16	Ø 3.0 mm X 25 cm

Luer lock

ZA-504.11	Ø 2.0 mm X 15 cm
ZA-504.12	Ø 2.5 mm X 15 cm
ZA-504.13	Ø 2.5 mm X 20 cm
ZA-504.14	Ø 3.0 mm X 15 cm
ZA-504.15	Ø 3.0 mm X 20 cm
ZA-504.16	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-505.11	Ø 2.0 mm X 15 cm
ZA-505.12	Ø 2.5 mm X 15 cm
ZA-505.13	Ø 2.5 mm X 20 cm
ZA-505.14	Ø 3.0 mm X 15 cm
ZA-505.15	Ø 3.0 mm X 20 cm
ZA-505.16	Ø 3.0 mm X 25 cm

Power Cannula

ZA-506.51	Ø 2 mm X 15 cm
ZA-506.52	Ø 2 mm X 20 cm
ZA-506.53	Ø 2 mm X 25 cm
ZA-506.54	Ø 2 mm X 30 cm
ZA-506.55	Ø 2 mm X 35 cm
ZA-506.56	Ø 3 mm X 15 cm
ZA-506.57	Ø 3 mm X 20 cm
ZA-506.58	Ø 3 mm X 25 cm
ZA-506.59	Ø 3 mm X 30 cm
ZA-506.60	Ø 3 mm X 35 cm
ZA-506.61	Ø 4 mm X 15 cm
ZA-506.62	Ø 4 mm X 20 cm
ZA-506.63	Ø 4 mm X 25 cm
ZA-506.64	Ø 4 mm X 30 cm
ZA-506.65	Ø 4 mm X 35 cm
ZA-506.66	Ø 5 mm X 15 cm
ZA-506.67	Ø 5 mm X 20 cm
ZA-506.68	Ø 5 mm X 25 cm
ZA-506.69	Ø 5 mm X 30 cm
ZA-506.70	Ø 5 mm X 35 cm
ZA-506.71	Ø 6 mm X 15 cm
ZA-506.72	Ø 6 mm X 20 cm
ZA-506.73	Ø 6 mm X 25 cm
ZA-506.74	Ø 6 mm X 30 cm
ZA-506.75	Ø 6 mm X 35 cm



Field Flap

With its elevated leading edge, this cannula is designed to open and expose soft tissue for more precise suctioning along the mandible and sub-mental areas.

60cc Tommey hub

ZA-501.21	Ø 2.5 mm X 15 cm
ZA-501.22	Ø 2.5 mm X 20 cm
ZA-501.23	Ø 3.0 mm X 15 cm
ZA-501.24	Ø 3.0 mm X 20 cm
ZA-501.25	Ø 3.0 mm X 25 cm
ZA-501.26	Ø 4.0 mm X 25 cm
ZA-501.27	Ø 4.0 mm X 30 cm
ZA-501.28	Ø 4.0 mm X 35 cm
ZA-501.29	Ø 4.5 mm X 30 cm
ZA-501.30	Ø 4.5 mm X 35 cm

Treaded Hub

ZA-502.21	Ø 3.0 mm X 15 cm
ZA-502.22	Ø 3.0 mm X 25 cm
ZA-502.23	Ø 4.0 mm X 15 cm
ZA-502.24	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZA-503.21	Ø 2.0 mm X 15 cm
ZA-503.22	Ø 2.5 mm X 15 cm
ZA-503.23	Ø 2.5 mm X 20 cm
ZA-503.24	Ø 3.0 mm X 15 cm
ZA-503.25	Ø 3.0 mm X 20 cm
ZA-503.26	Ø 3.0 mm X 25 cm

Luer lock

ZA-504.21	Ø 2.0 mm X 15 cm
ZA-504.22	Ø 2.5 mm X 15 cm
ZA-504.23	Ø 2.5 mm X 20 cm
ZA-504.24	Ø 3.0 mm X 15 cm
ZA-504.25	Ø 3.0 mm X 20 cm
ZA-504.26	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

ZA-505.21	Ø 2.0 mm X 15 cm
ZA-505.22	Ø 2.5 mm X 15 cm
ZA-505.23	Ø 2.5 mm X 20 cm
ZA-505.24	Ø 3.0 mm X 15 cm
ZA-505.25	Ø 3.0 mm X 20 cm
ZA-505.26	Ø 3.0 mm X 25 cm

Power Cannula

ZA-506.101	Ø 2 mm X 15 cm
ZA-506.102	Ø 2 mm X 20 cm
ZA-506.103	Ø 2 mm X 25 cm
ZA-506.104	Ø 2 mm X 30 cm
ZA-506.105	Ø 2 mm X 35 cm
ZA-506.106	Ø 3 mm X 15 cm
ZA-506.107	Ø 3 mm X 20 cm
ZA-506.108	Ø 3 mm X 25 cm
ZA-506.109	Ø 3 mm X 30 cm
ZA-506.110	Ø 3 mm X 35 cm
ZA-506.111	Ø 4 mm X 15 cm
ZA-506.112	Ø 4 mm X 20 cm
ZA-506.113	Ø 4 mm X 25 cm
ZA-506.114	Ø 4 mm X 30 cm
ZA-506.115	Ø 4 mm X 35 cm
ZA-506.116	Ø 5 mm X 15 cm
ZA-506.117	Ø 5 mm X 20 cm
ZA-506.118	Ø 5 mm X 25 cm
ZA-506.119	Ø 5 mm X 30 cm
ZA-506.120	Ø 5 mm X 35 cm
ZA-506.121	Ø 6 mm X 15 cm
ZA-506.122	Ø 6 mm X 20 cm
ZA-506.123	Ø 6 mm X 25 cm
ZA-506.124	Ø 6 mm X 30 cm
ZA-506.125	Ø 6 mm X 35 cm

SINGLE-USE INSTRUMENTS



Ultra Luer Lock

The Super Luer Lock is on our Single-use instruments.



Tumescent Infiltrator

This cannula is used specifically for the infusion of tumescent solution and for hydraulic dissection. The configuration of the ports allows even distribution of the fluid.

SL-601.01 Ø 2.0 mm X 12cm
SL-601.02 Ø 2.0 mm X 20cm



Tonnard Harvester

A multiport harvester with 1mm elevated sharp microports. The 20 port configuration allows for harvesting both on the forward and backward strokes.

SL-602.01 Ø 3.0 mm X 20cm
SL-602.02 Ø 2.4 mm X 20cm



Tonnard Harvester

Excellent for harvesting small aliquots of tissues.

SL-603.01 Ø 2.5 mm X 15cm
SL-603.02 Ø 2.0 mm X 15cm



Carraway Harvester

Spiral three port design effective for multi-plane tissue harvesting.

SL-604.01 Ø 2.5 mm X 15cm
SL-604.02 Ø 2.0 mm X 10cm
SL-604.03 Ø 2.0 mm X 15cm
SL-604.04 Ø 1.5 mm X 8cm
SL-604.05 Ø 1.5 mm X 10cm



Injector

Round blunt tip design passes through soft tissue easily without the trauma or potential problems of sharp injectors.

SL-605.01 Ø 1.5 mm X 9cm
SL-605.02 Ø 1.5 mm X 7cm
SL-605.03 Ø 1.0 mm X 5cm
SL-605.04 Ø 1.0 mm X 4cm



Spoon Tip Injector

Blunt injector designed with a more open port for rapid injection of larger volumes - a torso and buttock workhorse.

SL-606.01 Ø 3.0 mm X 20cm
SL-606.02 Ø 2.0 mm X 15cm



Miller Speed Harvester

SL-607.01 Ø 2.0 mm X 15cm

Liposuction Accessories

Handles

Connectors

- a) Luer to Luer
- b) Luer to Handle

Transfer Adapters

- a) Luer to Luer 1.2 mm
- Luer to Luer 1.4 mm
- Luer to Luer 2.4 mm
- b) Anaerobic Transfer
- c) Micro to Nano

Snap Lock

- a) Standard Snap Locks
60cc, 20cc, 10cc

- b) AL ZAHRAWI SURGICAL Spiral Snap Lock


Fat Transfer Gun

Decanting Stands

Sterilization Boxed


HANDLES FOR CANNULAS

ZA-701.01



Luer Lock Handle

ZA-702.01
20cc



Adaptor Handle Style I

ZA-703.01
20cc



Adaptor Handle Style II

HANDLES FOR CANNULAS

ZA-704.01

with connection thread for cannulas hose connection



ZA-705.01

with connection thread for cannulas hose connection



ZA-706.01

with connection thread for cannulas hose connection



ZA-707.01

with connection thread for cannulas hose connection



ZA-750.01

Pocar

The Pocar is a percutaneous punch that is used to make a circumferential incision prior to infiltration and tissue extraction. It is designed to maintain a tight seal while minimizing scarring.



NanoTransfer

ZA-751.01

NanoTransfer




ZA-752.01

Mesh for NanoTransfer



Anaerobic Transfers

- ZA-760.01 Luer 1.2mm
- ZA-760.02 Luer 1.4mm
- ZA-760.03 Luer 2.4mm



ZA-771.01

Luer to Luer



Decant Stands

ZA-772.02 60cc to Luer
ZA-773.03 Luer to Luer



SnapLoks

These syringe snap locks fit into the lunger flanges of the syringe. When the plunger is pulled out the lock snaps open on the barrel lip thus holding the syringe under vacuum.

ZA-901.01 60cc
ZA-901.02 50cc
ZA-901.03 35cc
ZA-901.04 20cc
ZA-901.05 10cc





Universal Power Injector

ZA-801.01

The Power Injector allows the surgeon to re-inject soft tissue through large or small diameter injectors with very little effort and maximum control. The Universal Power Injector will hold a 10cc or a 20cc BD syringe or a BD syringe or a 60cc Monoject syringe.



Fat Syringe

ZA-950.01

The Power Injector allows the surgeon to re-inject soft tissue through large or small diameter injectors with very little effort and maximum control. The Universal Power Injector will hold a 10cc or a 20cc BD syringe or a BD syringe or a 60cc Monoject syringe.



Sterilization Box

ZA-1000.01



Syringe Decanting and Injection

ZA-707.01	60 cc
ZA-707.02	50 cc
ZA-707.03	30 cc
ZA-707.04	20 cc
ZA-707.05	10 cc



AL-Zahrawi Surgical
Gali Labewali Fateh Garh, Gous Pura,
Sialkot - Pakistan.

Mob/Whatsapp : +92 344 3961923
Contact Person: Zeeshan Ahmed
Gmail: alzahrawi.surgical@gmail.com
Weburl: www.alzahrawisurgical.com